

The following lists all the aircore inductors made by Jantzen. We do not list every single inductor on our shop. If there is a specific inductor that you need then please e-mail us at [info@hificollective.co.uk](mailto:info@hificollective.co.uk) and we will add it to the shop so you can make your order. If the specific inductor value is not listed then please order the next value up and put in the comments box when you make your order the value you require. Jantzen will make any value you need.

**Jantzen Air Core Wire Coil 29AWG,  
0.3mm diameter wire to 13AWG, 1.8mm diameter wire**

product code	description	price exc VAT	Weight, kg
000-1814	0,150mH +/-3% 1,300Ω wire 0,30mm=29AWG OD-18 / 8mm	£ 1.12	0.003
000-0978	0,169mH +/-1% 1,17Ω wire 0,30mm=29AWG OD-18 / 8mm	£ 1.94	0.005
000-1475	0,180mH +/-3% 1,670Ω wire 0,30mm=29AWG OD-18 / 8mm	£ 1.14	0.004
000-1017	0,240mH +/-3% 1,690Ω wire 0,30mm=29AWG OD-19 / 8mm	£ 1.17	0.005
000-1266	0,260mH +/-3% 1,830Ω wire 0,30mm=29AWG OD-19 / 8mm	£ 1.17	0.005
000-1000	0,267mH +/-1% 1,173Ω wire 0,30mm=29AWG OD-18 / 8mm	£ 1.94	0.005
000-1885	0,300mH +/-3% 1,950Ω wire 0,30mm=29AWG OD-19 / 8mm	£ 1.17	0.005
000-1059	0,320mH +/-3% 1,970Ω wire 0,30mm=29AWG OD-15 / 8mm	£ 1.17	0.005
000-1550	0,330mH +/-3% 2,000Ω wire 0,30mm=29AWG OD-20 / 8mm	£ 1.19	0.006
000-1551	0,330mH +/-3% 1,970Ω wire 0,30mm=29AWG OD-15 / 8mm	£ 1.17	0.005
000-1552	0,400mH +/-3% 2,230Ω wire 0,30mm=29AWG OD-16 / 8mm	£ 1.19	0.006
000-1553	0,400mH +/-3% 2,560Ω wire 0,30mm=29AWG OD-18 / 15mm	£ 1.22	0.007
000-1055	0,490mH +/-3% 2,430Ω wire 0,30mm=29AWG OD-16 / 8mm	£ 1.22	0.007
000-0977	0,518mH +/-1% 2,52Ω wire 0,30mm=29AWG OD-19 / 15mm	£ 2.05	0.009
000-1039	0,580mH +/-3% 2,820Ω wire 0,30mm=29AWG OD-17 / 8mm	£ 1.22	0.007
000-1700	0,580mH +/-3% 3,120Ω wire 0,30mm=29AWG OD-19 / 15mm	£ 1.25	0.008
000-1542	0,680mH +/-3% 3,530Ω wire 0,30mm=29AWG OD-19 / 15mm	£ 1.27	0.009
000-1554	0,700mH +/-3% 3,870Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.27	0.009
000-1038	0,720mH +/-3% 3,000Ω wire 0,30mm=29AWG OD-17 / 8mm	£ 1.25	0.008
000-1396	0,760mH +/-3% 3,860Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.30	0.010
000-1787	0,820mH +/-3% 3,900Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.30	0.010
000-1438	0,870mH +/-3% 3,460Ω wire 0,30mm=29AWG OD-18 / 8mm	£ 1.27	0.009
000-0825	0,900mH +/-3% 3,74Ω wire 0,30mm=29AWG OD-19 / 15mm	£ 1.49	0.011
000-0826	1,000mH +/-3% 3,98Ω wire 0,30mm=29AWG OD-19 / 15mm	£ 1.49	0.011
000-1701	1,060mH +/-3% 4,380Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.49	0.011
000-0827	1,100mH +/-3% 4,15Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.49	0.011
000-1014	1,130mH +/-3% 4,400Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.49	0.011
000-1767	1,200mH +/-3% 4,660Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.55	0.013
000-1710	1,300mH +/-3% 4,90Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.55	0.013
000-1029	1,340mH +/-3% 5,100Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.55	0.013
000-1702	1,400mH +/-3% 5,200Ω wire 0,30mm=29AWG OD-20 / 15mm	£ 1.55	0.013
000-1212	1,500mH +/-3% 5,280Ω wire 0,30mm=29AWG OD-21 / 15mm	£ 1.57	0.014
000-1703	1,600mH +/-3% 5,290Ω wire 0,30mm=29AWG OD-21 / 15mm	£ 1.57	0.014
000-1260	2,000mH +/-3% 6,080Ω wire 0,30mm=29AWG OD-21 / 15mm	£ 1.59	0.015
000-0183	2,500mH +/-3% 6,44Ω wire 0,30mm=29AWG OD-22 / 15mm	£ 1.92	0.018

000-1259	3,000mH +/-3% 7,600Ω wire 0,30mm=29AWG OD-22 / 15mm	£ 1.95	0.019
000-1258	5,000mH +/-3% 10,100Ω wire 0,30mm=29AWG OD-25 / 15mm	£ 2.13	0.026
000-1346	5,100mH +/-3% 8,800Ω wire 0,30mm=29AWG OD-30 / 8mm	£ 2.10	0.025
000-1351	5,100mH +/-3% 10,200Ω wire 0,30mm=29AWG OD-25 / 15mm	£ 2.13	0.026
000-1349	5,700mH +/-3% 10,800Ω wire 0,30mm=29AWG OD-25 / 15mm	£ 2.18	0.028
000-1348	6,000mH +/-3% 11,100Ω wire 0,30mm=29AWG OD-26 / 15mm	£ 2.21	0.029
000-1347	6,400mH +/-3% 11,600Ω wire 0,30mm=29AWG OD-26 / 15mm	£ 2.23	0.030
000-1257	7,000mH +/-3% 11,800Ω wire 0,30mm=29AWG OD-26 / 15mm	£ 2.26	0.031
000-1541	7,500mH +/-3% 12,500Ω wire 0,30mm=29AWG OD-26 / 15mm	£ 2.64	0.032
000-1504	10,000mH +/-3% 13,000Ω wire 0,30mm=29AWG OD-28 / 15mm	£ 4.62	0.038
000-1771	85,000mH +/-3% 54,600Ω wire 0,30mm=29AWG OD-40 / 30mm	£ 8.85	0.141
000-0991	0,245mH +/-1% 1,43Ω wire 0,32mm=29AWG OD-15 / 8mm	£ 1.81	0.005
000-0834	0,028mH +/-1% 0,29Ω wire 0,40mm=26AWG OD-12 / 8mm	£ 1.89	0.003
000-1805	0,030mH +/-1% 0,290Ω wire 0,40mm=26AWG OD-12 / 8mm	£ 1.89	0.003
000-1617	0,107mH +/-1% 0,630Ω wire 0,40mm=26AWG OD-15 / 8mm	£ 1.96	0.006
000-1080	0,120mH +/-3% 0,700Ω wire 0,40mm=26AWG OD-20 / 8mm	£ 1.19	0.006
000-1472	0,150mH +/-3% 0,850Ω wire 0,40mm=26AWG OD-20 / 8mm	£ 1.19	0.006
000-1008	0,160mH +/-3% 0,850Ω wire 0,40mm=26AWG OD-20 / 8mm	£ 1.21	0.007
000-1819	0,180mH +/-3% 0,900Ω wire 0,40mm=26AWG OD-20 / 8mm	£ 1.23	0.008
000-1530	0,190mH +/-3% 0,920Ω wire 0,40mm=26AWG OD-20 / 8mm	£ 1.23	0.008
000-1823	0,200mH +/-3% 0,940Ω wire 0,40mm=26AWG OD-21 / 8mm	£ 1.23	0.008
000-1875	0,200mH +/-3% 1,000Ω wire 0,40mm=26AWG OD-24 / 10mm	£ 1.25	0.009
000-1827	0,220mH +/-3% 1,070Ω wire 0,40mm=26AWG OD-19 / 15mm	£ 1.26	0.009
000-1912	0,220mH +/-3% 0,880Ω wire 0,40mm=26AWG OD-17 / 8mm	£ 1.23	0.008
000-1481	0,240mH +/-3% 1,020Ω wire 0,40mm=26AWG OD-22 / 8mm	£ 1.26	0.009
000-1925	0,250mH +/-3% 1,020Ω wire 0,40mm=26AWG OD-22 / 8mm	£ 1.29	0.010
000-0969	0,300mH +/-3% 1,35Ω wire 0,40mm=26AWG OD-16 / 20mm	£ 1.31	0.011
000-1803	0,300mH +/-3% 1,140Ω wire 0,40mm=26AWG OD-22 / 8mm	£ 1.29	0.010
000-1884	0,300mH +/-3% 1,100Ω wire 0,40mm=26AWG OD-18 / 8mm	£ 1.25	0.009
000-1214	0,330mH +/-3% 1,240Ω wire 0,40mm=26AWG OD-25 / 10mm	£ 1.31	0.011
000-1513	0,330mH +/-3% 1,200Ω wire 0,40mm=26AWG OD-22 / 8mm	£ 1.29	0.010
000-1836	0,350mH +/-3% 1,240Ω wire 0,40mm=26AWG OD-23 / 8mm	£ 1.29	0.010
000-1876	0,350mH +/-3% 1,300Ω wire 0,40mm=26AWG OD-25 / 10mm	£ 1.31	0.011
000-0968	0,360mH +/-3% 1,25Ω wire 0,40mm=26AWG OD-23 / 8mm	£ 1.31	0.011
000-1773	0,380mH +/-3% 1,300Ω wire 0,40mm=26AWG OD-23 / 8mm	£ 1.32	0.011
000-1514	0,390mH +/-3% 1,300Ω wire 0,40mm=26AWG OD-23 / 8mm	£ 1.32	0.011
000-1556	0,400mH +/-3% 1,700Ω wire 0,40mm=26AWG OD-14 / 25mm	£ 1.03	0.015
000-1190	0,420mH +/-3% 1,520Ω wire 0,40mm=26AWG OD-21 / 15mm	£ 1.37	0.013
000-1391	0,440mH +/-3% 1,320Ω wire 0,40mm=26AWG OD-26 / 10mm	£ 1.33	0.012
000-1194	0,450mH +/-3% 1,560Ω wire 0,40mm=26AWG OD-21 / 15mm	£ 1.37	0.013
000-1213	0,460mH +/-3% 1,390Ω wire 0,40mm=26AWG OD-23 / 8mm	£ 1.34	0.012
000-1877	0,460mH +/-3% 1,470Ω wire 0,40mm=26AWG OD-26 / 10mm	£ 1.36	0.013
000-0967	0,470mH +/-3% 1,70Ω wire 0,40mm=26AWG OD-20 / 20mm	£ 1.38	0.014
000-1636	0,470mH +/-3% 1,350Ω wire 0,40mm=26AWG OD-20 / 8mm	£ 1.33	0.012
000-1202	0,490mH +/-3% 1,630Ω wire 0,40mm=26AWG OD-21 / 15mm	£ 1.39	0.014
000-1389	0,500mH +/-3% 1,530Ω wire 0,40mm=26AWG OD-26 / 10mm	£ 1.38	0.014
000-1555	0,500mH +/-3% 1,500Ω wire 0,40mm=26AWG OD-24 / 8mm	£ 1.37	0.013

000-1435	0,550mH +/-3%	1,520Ω	wire 0,40mm=26AWG OD-24 / 8mm	£ 1.37	0.013
000-1161	0,560mH +/-3%	1,530Ω	wire 0,40mm=26AWG OD-24 / 8mm	£ 1.37	0.013
000-1735	0,600mH +/-3%	1,600Ω	wire 0,40mm=26AWG OD-24 / 8mm	£ 1.39	0.014
000-1772	0,650mH +/-3%	1,680Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.41	0.015
000-0989	0,700mH +/-3%	1,75Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.41	0.015
000-0878	0,710mH +/-3%	1,750Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.41	0.015
000-1160	0,750mH +/-3%	1,810Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.41	0.015
000-1736	0,760mH +/-3%	1,830Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.43	0.016
000-1734	0,780mH +/-1%	1,86Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.43	0.016
000-0948	0,794mH +/-1%	1,860Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.86	0.016
000-1744	0,800mH +/-3%	1,890Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.46	0.017
000-1064	0,850mH +/-3%	1,930Ω	wire 0,40mm=26AWG OD-25 / 8mm	£ 1.46	0.017
000-1158	0,870mH +/-3%	1,950Ω	wire 0,40mm=26AWG OD-26 / 8mm	£ 1.46	0.017
000-1878	0,900mH +/-3%	2,090Ω	wire 0,40mm=26AWG OD-26 / 8mm	£ 1.49	0.018
000-1395	1,000mH +/-3%	2,240Ω	wire 0,40mm=26AWG OD-29 / 10mm	£ 1.68	0.019
000-1067	1,150mH +/-3%	2,390Ω	wire 0,40mm=26AWG OD-29 / 10mm	£ 1.73	0.021
000-1108	1,280mH +/-3%	2,670Ω	wire 0,40mm=26AWG OD-23 / 15mm	£ 1.78	0.023
000-1867	1,500mH +/-3%	2,830Ω	wire 0,40mm=26AWG OD-28 / 8mm	£ 1.78	0.023
000-1739	1,540mH +/-3%	2,850Ω	wire 0,40mm=26AWG OD-29 / 8mm	£ 1.81	0.024
000-1005	1,640mH +/-3%	3,000Ω	wire 0,40mm=26AWG OD-29 / 8mm	£ 1.83	0.025
000-1250	1,800mH +/-3%	3,130Ω	wire 0,40mm=26AWG OD-30 / 8mm	£ 1.86	0.026
000-0159	1,820mH +/-3%	3,087Ω	wire 0,40mm=26AWG OD-31 / 8mm	£ 1.86	0.026
000-1733	1,900mH +/-3%	3,21Ω	wire 0,40mm=26AWG OD-30 / 8mm	£ 1.86	0.026
000-1711	2,000mH +/-3%	3,21Ω	wire 0,40mm=26AWG OD-31 / 8mm	£ 1.88	0.027
000-1459	2,170mH +/-3%	3,500Ω	wire 0,40mm=26AWG OD-31 / 8mm	£ 2.18	0.029
000-1869	2,200mH +/-3%	3,500Ω	wire 0,40mm=26AWG OD-31 / 8mm	£ 2.18	0.029
000-1732	2,700mH +/-3%	4,09Ω	wire 0,40mm=26AWG OD-26 / 15mm	£ 2.31	0.034
000-1107	3,000mH +/-3%	4,350Ω	wire 0,40mm=26AWG OD-27 / 15mm	£ 2.36	0.036
000-1872	3,300mH +/-3%	4,600Ω	wire 0,40mm=26AWG OD-28 / 15mm	£ 2.38	0.037
000-0998	3,450mH +/-3%	4,750Ω	wire 0,40mm=26AWG OD-28 / 15mm	£ 2.41	0.038
000-0185	3,700mH +/-3%	5,05Ω	wire 0,40mm=26AWG OD-28 / 15mm	£ 2.48	0.041
000-1873	3,900mH +/-3%	5,070Ω	wire 0,40mm=26AWG OD-29 / 15mm	£ 2.48	0.041
000-1458	3,940mH +/-3%	5,070Ω	wire 0,40mm=26AWG OD-29 / 15mm	£ 2.51	0.042
000-0892	15,000mH +/-3%	13,300Ω	wire 0,40mm=26AWG OD-36 / 30mm	£ 4.30	0.099
000-1476	15,000mH +/-3%	15,720Ω	wire 0,40mm=26AWG OD-40 / 60mm	£ 6.89	0.130
000-0830	25,000mH +/-3%	19,71Ω	wire 0,40mm=26AWG OD-28 / 47mm	£ 9.17	0.159
000-0979	39,000mH +/-3%	24,76Ω	wire 0,40mm=26AWG OD-32 / 47mm	£ 12.73	0.206
000-1806	0,040mH +/-1%	0,240Ω	wire 0,50mm=24AWG OD-15 / 8mm	£ 1.94	0.005
000-1106	0,050mH +/-1%	0,260Ω	wire 0,50mm=24AWG OD-15 / 8mm	£ 1.96	0.006
000-1807	0,070mH +/-1%	0,330Ω	wire 0,50mm=24AWG OD-16 / 8mm	£ 1.63	0.007
000-1808	0,082mH +/-1%	0,370Ω	wire 0,50mm=24AWG OD-17 / 8mm	£ 2.01	0.008
000-0922	0,090mH +/-1%	0,378Ω	wire 0,50mm=24AWG OD-17 / 8mm	£ 1.71	0.008
000-1740	0,100mH +/-3%	0,600Ω	wire 0,50mm=24AWG OD-27 / 30mm	£ 1.13	0.013
000-1751	0,100mH +/-3%	0,580Ω	wire 0,50mm=24AWG OD-19 / 27mm	£ 1.10	0.012
000-1809	0,100mH +/-3%	0,440Ω	wire 0,50mm=24AWG OD-21 / 8mm	£ 1.03	0.009
000-0177	0,110mH +/-3%	0,44Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.05	0.010
000-0894	0,110mH +/-3%	0,430Ω	wire 0,50mm=24AWG OD-18 / 8mm	£ 1.03	0.009

000-1325	0,120mH +/-3% 0,440Ω	wire 0,50mm=24AWG OD-18 / 8mm	£ 1.03	0.009
000-1811	0,120mH +/-3% 0,470Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.05	0.010
000-1738	0,130mH +/-3% 0,476Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.05	0.010
000-1813	0,140mH +/-3% 0,500Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.08	0.011
000-1324	0,150mH +/-3% 0,490Ω	wire 0,50mm=24AWG OD-19 / 8mm	£ 1.05	0.010
000-1816	0,150mH +/-3% 0,510Ω	wire 0,50mm=24AWG OD-23 / 8mm	£ 1.08	0.011
000-1741	0,180mH +/-3% 0,850Ω	wire 0,50mm=24AWG OD-28 / 30mm	£ 1.23	0.017
000-1750	0,180mH +/-3% 0,810Ω	wire 0,50mm=24AWG OD-19 / 27mm	£ 1.20	0.016
000-1820	0,180mH +/-3% 0,550Ω	wire 0,50mm=24AWG OD-23 / 8mm	£ 1.10	0.012
000-1906	0,190mH +/-3% 0,590Ω	wire 0,50mm=24AWG OD-23 / 8mm	£ 1.10	0.012
000-1011	0,200mH +/-3% 0,700Ω	wire 0,50mm=24AWG OD-20 / 15mm	£ 1.15	0.014
000-1073	0,200mH +/-3% 0,600Ω	wire 0,50mm=24AWG OD-24 / 8mm	£ 1.13	0.013
000-1074	0,210mH +/-3% 0,605Ω	wire 0,50mm=24AWG OD-24 / 8mm	£ 1.15	0.014
000-1323	0,220mH +/-3% 0,640Ω	wire 0,50mm=24AWG OD-21 / 8mm	£ 1.15	0.014
000-1826	0,220mH +/-3% 0,610Ω	wire 0,50mm=24AWG OD-24 / 8mm	£ 1.15	0.014
000-1914	0,220mH +/-3% 0,800Ω	wire 0,50mm=24AWG OD-15 / 25mm	£ 1.23	0.017
000-1102	0,240mH +/-3% 0,640Ω	wire 0,50mm=24AWG OD-24 / 8mm	£ 1.18	0.015
000-1152	0,250mH +/-3% 0,720Ω	wire 0,50mm=24AWG OD-21 / 15mm	£ 1.18	0.016
000-1525	0,250mH +/-3% 0,660Ω	wire 0,50mm=24AWG OD-24 / 8mm	£ 1.18	0.015
000-1777	0,260mH +/-3% 0,710Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.18	0.015
000-0882	0,270mH +/-3% 0,750Ω	wire 0,50mm=24AWG OD-21 / 15mm	£ 1.20	0.015
000-1322	0,270mH +/-3% 0,710Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.20	0.016
000-1829	0,270mH +/-3% 0,680Ω	wire 0,50mm=24AWG OD-25 / 8mm	£ 1.20	0.016
000-1164	0,280mH +/-3% 0,790Ω	wire 0,50mm=24AWG OD-21 / 15mm	£ 1.23	0.017
000-1590	0,280mH +/-3% 0,710Ω	wire 0,50mm=24AWG OD-25 / 8mm	£ 1.20	0.016
000-1831	0,280mH +/-3% 0,760Ω	wire 0,50mm=24AWG OD-27 / 10mm	£ 1.20	0.016
000-0843	0,290mH +/-3% 0,750Ω	wire 0,50mm=24AWG OD-25 / 8mm	£ 1.20	0.016
000-1833	0,300mH +/-3% 0,750Ω	wire 0,50mm=24AWG OD-25 / 8mm	£ 1.20	0.016
000-1883	0,300mH +/-3% 0,750Ω	wire 0,50mm=24AWG OD-22 / 8mm	£ 1.20	0.016
000-0966	0,320mH +/-3% 0,88Ω	wire 0,50mm=24AWG OD-22 / 15mm	£ 1.28	0.019
000-1321	0,330mH +/-3% 0,790Ω	wire 0,50mm=24AWG OD-23 / 8mm	£ 1.23	0.017
000-1834	0,330mH +/-3% 0,780Ω	wire 0,50mm=24AWG OD-26 / 8mm	£ 1.25	0.018
000-1911	0,340mH +/-3% 0,790Ω	wire 0,50mm=24AWG OD-26 / 8mm	£ 1.25	0.018
000-1450	0,350mH +/-3% 0,800Ω	wire 0,50mm=24AWG OD-26 / 8mm	£ 1.25	0.018
000-1179	0,370mH +/-3% 0,920Ω	wire 0,50mm=24AWG OD-22 / 15mm	£ 1.28	0.019
000-1004	0,380mH +/-3% 0,860Ω	wire 0,50mm=24AWG OD-26 / 8mm	£ 1.25	0.018
000-1838	0,390mH +/-3% 0,860Ω	wire 0,50mm=24AWG OD-26 / 8mm	£ 1.25	0.018
000-1184	0,400mH +/-3% 0,960Ω	wire 0,50mm=24AWG OD-23 / 15mm	£ 1.30	0.020
000-1320	0,400mH +/-3% 0,890Ω	wire 0,50mm=24AWG OD-24 / 8mm	£ 1.28	0.019
000-1328	0,400mH +/-3% 0,890Ω	wire 0,50mm=24AWG OD-27 / 8mm	£ 1.28	0.019
000-1157	0,420mH +/-3% 0,980Ω	wire 0,50mm=24AWG OD-23 / 15mm	£ 1.33	0.021
000-1842	0,430mH +/-3% 0,910Ω	wire 0,50mm=24AWG OD-27 / 8mm	£ 1.30	0.020
000-1193	0,450mH +/-3% 0,980Ω	wire 0,50mm=24AWG OD-29 / 10mm	£ 1.33	0.021
000-1400	0,450mH +/-3% 0,940Ω	wire 0,50mm=24AWG OD-27 / 8mm	£ 1.30	0.020
000-1197	0,460mH +/-3% 1,000Ω	wire 0,50mm=24AWG OD-29 / 10mm	£ 1.33	0.021
000-1845	0,470mH +/-3% 0,950Ω	wire 0,50mm=24AWG OD-27 / 8mm	£ 1.33	0.021
000-0883	0,500mH +/-3% 1,080Ω	wire 0,50mm=24AWG OD-23 / 15mm	£ 1.35	0.022
000-1327	0,500mH +/-3% 1,000Ω	wire 0,50mm=24AWG OD-28 / 8mm	£ 1.35	0.022

000-1319	0,510mH +/-3%	1,010Ω	wire 0,50mm=24AWG OD-25 / 8mm	£ 1.33	0.021
000-1847	0,560mH +/-3%	1,100Ω	wire 0,50mm=24AWG OD-28 / 8mm	£ 1.38	0.023
000-1849	0,600mH +/-3%	1,120Ω	wire 0,50mm=24AWG OD-29 / 8mm	£ 1.40	0.024
000-1265	0,620mH +/-3%	1,140Ω	wire 0,50mm=24AWG OD-29 / 8mm	£ 1.40	0.024
000-1737	0,650mH +/-3%	1,160Ω	wire 0,50mm=24AWG OD-29 / 8mm	£ 1.43	0.025
000-1853	0,680mH +/-3%	1,220Ω	wire 0,50mm=24AWG OD-31 / 10mm	£ 1.45	0.026
000-1046	0,700mH +/-3%	1,250Ω	wire 0,50mm=24AWG OD-30 / 8mm	£ 1.43	0.025
000-1105	0,750mH +/-3%	1,280Ω	wire 0,50mm=24AWG OD-30 / 8mm	£ 1.45	0.026
000-1691	0,800mH +/-3%	1,400Ω	wire 0,50mm=24AWG OD-25 / 15mm	£ 1.55	0.030
000-1858	0,820mH +/-3%	1,350Ω	wire 0,50mm=24AWG OD-31 / 8mm	£ 1.48	0.027
000-0824	0,900mH +/-3%	1,49Ω	wire 0,50mm=24AWG OD-26 / 15mm	£ 1.58	0.031
000-1089	1,000mH +/-3%	1,570Ω	wire 0,50mm=24AWG OD-26 / 15mm	£ 1.65	0.034
000-1776	1,060mH +/-3%	1,690Ω	wire 0,50mm=24AWG OD-26 / 15mm	£ 1.77	0.035
000-1886	1,100mH +/-3%	1,700Ω	wire 0,50mm=24AWG OD-26 / 15mm	£ 1.77	0.035
000-1133	1,200mH +/-3%	1,760Ω	wire 0,50mm=24AWG OD-27 / 15mm	£ 1.82	0.037
000-1058	1,300mH +/-3%	1,780Ω	wire 0,50mm=24AWG OD-34 / 8mm	£ 1.82	0.037
000-1455	1,340mH +/-3%	1,900Ω	wire 0,50mm=24AWG OD-27 / 15mm	£ 1.87	0.039
000-0838	1,350mH +/-3%	1,92Ω	wire 0,50mm=24AWG OD-34 / 15mm	£ 1.90	0.040
000-1775	1,400mH +/-3%	1,920Ω	wire 0,50mm=24AWG OD-27 / 15mm	£ 1.90	0.040
000-1866	1,500mH +/-3%	1,980Ω	wire 0,50mm=24AWG OD-28 / 15mm	£ 1.92	0.041
000-0842	1,620mH +/-3%	2,05Ω	wire 0,50mm=24AWG OD-29 / 15mm	£ 1.97	0.043
000-1465	1,700mH +/-3%	2,180Ω	wire 0,50mm=24AWG OD-29 / 15mm	£ 2.02	0.045
000-1868	1,800mH +/-3%	2,200Ω	wire 0,50mm=24AWG OD-29 / 15mm	£ 2.05	0.046
000-1774	1,860mH +/-3%	2,200Ω	wire 0,50mm=24AWG OD-29 / 15mm	£ 2.10	0.048
000-1778	2,000mH +/-3%	2,410Ω	wire 0,50mm=24AWG OD-30 / 15mm	£ 2.12	0.049
000-0875	2,100mH +/-3%	2,510Ω	wire 0,50mm=24AWG OD-31 / 15mm	£ 2.30	0.051
000-1033	2,200mH +/-3%	2,510Ω	wire 0,50mm=24AWG OD-31 / 15mm	£ 2.33	0.052
000-1471	2,280mH +/-3%	2,650Ω	wire 0,50mm=24AWG OD-31 / 15mm	£ 2.35	0.053
000-0931	2,330mH +/-3%	2,650Ω	wire 0,50mm=24AWG OD-37 / 15mm	£ 2.37	0.054
000-1118	2,500mH +/-3%	2,710Ω	wire 0,50mm=24AWG OD-37 / 15mm	£ 2.42	0.056
000-0823	2,700mH +/-3%	2,90Ω	wire 0,50mm=24AWG OD-28 / 17mm	£ 2.49	0.059
000-1870	2,700mH +/-3%	2,800Ω	wire 0,50mm=24AWG OD-32 / 15mm	£ 2.43	0.056
000-1978	2,800mH +/-3%	3,500Ω	wire 0,50mm=24AWG OD-22 / 35mm	£ 2.77	0.070
000-1779	3,000mH +/-3%	3,040Ω	wire 0,50mm=24AWG OD-32 / 15mm	£ 2.55	0.062
000-0884	3,200mH +/-3%	3,100Ω	wire 0,50mm=24AWG OD-33 / 15mm	£ 2.58	0.061
000-1871	3,300mH +/-3%	3,090Ω	wire 0,50mm=24AWG OD-33 / 15mm	£ 2.60	0.063
000-0960	3,450mH +/-3%	3,170Ω	wire 0,50mm=24AWG OD-33 / 15mm	£ 2.67	0.066
000-1704	3,700mH +/-3%	3,250Ω	wire 0,50mm=24AWG OD-33 / 15mm	£ 2.70	0.067
000-1139	3,900mH +/-3%	3,450Ω	wire 0,50mm=24AWG OD-35 / 15mm	£ 2.75	0.069
000-0885	4,000mH +/-3%	3,610Ω	wire 0,50mm=24AWG OD-35 / 15mm	£ 2.82	0.072
000-1605	4,000mH +/-3%	3,950Ω	wire 0,50mm=24AWG OD-29 / 27mm	£ 3.04	0.081
000-0932	4,500mH +/-3%	3,850Ω	wire 0,50mm=24AWG OD-35 / 15mm	£ 2.92	0.076
000-1607	4,700mH +/-3%	4,300Ω	wire 0,50mm=24AWG OD-30 / 27mm	£ 3.21	0.088
000-1780	4,700mH +/-3%	3,910Ω	wire 0,50mm=24AWG OD-36 / 15mm	£ 3.02	0.080
000-1604	5,000mH +/-3%	4,450Ω	wire 0,50mm=24AWG OD-30 / 27mm	£ 3.26	0.090
000-1611	5,600mH +/-3%	4,740Ω	wire 0,50mm=24AWG OD-31 / 27mm	£ 3.51	0.100
000-0182	6,000mH +/-3%	4,85Ω	wire 0,50mm=24AWG OD-32 / 27mm	£ 3.49	0.099
000-1610	6,200mH +/-3%	5,050Ω	wire 0,50mm=24AWG OD-32 / 27mm	£ 3.56	0.102

000-0933	6,400mH +/-3% 5,120Ω wire 0,50mm=24AWG OD-32 / 27mm	£ 3.64	0.105
000-1609	6,800mH +/-3% 5,280Ω wire 0,50mm=24AWG OD-33 / 27mm	£ 3.74	0.109
000-1785	8,000mH +/-3% 5,810Ω wire 0,50mm=24AWG OD-33 / 27mm	£ 3.91	0.116
000-1608	8,200mH +/-3% 5,830Ω wire 0,50mm=24AWG OD-33 / 27mm	£ 3.98	0.119
000-1037	13,000mH +/-3% 9,260Ω wire 0,50mm=24AWG OD-42 / 60mm	£ 6.35	0.183
000-1770	14,400mH +/-3% 7,840Ω wire 0,50mm=24AWG OD-40 / 30mm	£ 5.88	0.164
000-0975	22,000mH +/-3% 10,60Ω wire 0,50mm=24AWG OD-40 / 32mm	£ 9.74	0.210
000-0876	27,000mH +/-3% 13,830Ω wire 0,50mm=24AWG OD-47 / 30mm	£ 8.00	0.225
000-1233	0,020mH +/-1% 0,105Ω wire 0,63mm=22AWG OD-15 / 8mm	£ 1.66	0.006
000-1544	0,035mH +/-1% 0,150Ω wire 0,63mm=22AWG OD-17 / 8mm	£ 2.00	0.008
000-1428	0,050mH +/-1% 0,178Ω wire 0,63mm=22AWG OD-18 / 8mm	£ 1.75	0.010
000-0997	0,074mH +/-1% 0,290Ω wire 0,63mm=22AWG OD-24 / 8mm	£ 2.10	0.012
000-1463	0,100mH +/-3% 0,290Ω wire 0,63mm=22AWG OD-25 / 8mm	£ 1.14	0.014
000-1003	0,120mH +/-3% 0,320Ω wire 0,63mm=22AWG OD-26 / 8mm	£ 1.19	0.016
000-0973	0,130mH +/-3% 0,31Ω wire 0,63mm=22AWG OD-25 / 8mm	£ 1.21	0.017
000-1129	0,150mH +/-3% 0,330Ω wire 0,63mm=22AWG OD-26 / 8mm	£ 1.23	0.018
000-1091	0,180mH +/-3% 0,420Ω wire 0,63mm=22AWG OD-24 / 15mm	£ 1.28	0.020
000-1488	0,180mH +/-3% 0,382Ω wire 0,63mm=22AWG OD-27 / 8mm	£ 1.28	0.020
000-0854	0,200mH +/-3% 0,45Ω wire 0,63mm=22AWG OD-24 / 15mm	£ 1.33	0.022
000-1462	0,200mH +/-3% 0,420Ω wire 0,63mm=22AWG OD-28 / 8mm	£ 1.30	0.021
000-1013	0,220mH +/-3% 0,440Ω wire 0,63mm=22AWG OD-29 / 8mm	£ 1.35	0.023
000-1650	0,220mH +/-3% 0,465Ω wire 0,63mm=22AWG OD-24 / 15mm	£ 1.35	0.023
000-1915	0,220mH +/-3% 0,500Ω wire 0,63mm=22AWG OD-17 / 25mm	£ 1.42	0.026
000-1490	0,250mH +/-3% 0,460Ω wire 0,63mm=22AWG OD-29 / 8mm	£ 1.37	0.024
000-0879	0,260mH +/-3% 0,470Ω wire 0,63mm=22AWG OD-29 / 8mm	£ 1.37	0.024
000-1640	0,270mH +/-3% 0,490Ω wire 0,63mm=22AWG OD-29 / 8mm	£ 1.40	0.025
000-1020	0,280mH +/-3% 0,500Ω wire 0,63mm=22AWG OD-30 / 8mm	£ 1.40	0.025
000-1651	0,290mH +/-3% 0,520Ω wire 0,63mm=22AWG OD-25 / 15mm	£ 1.46	0.028
000-1143	0,300mH +/-3% 0,550Ω wire 0,63mm=22AWG OD-33 / 15mm	£ 1.46	0.028
000-1452	0,300mH +/-3% 0,550Ω wire 0,63mm=22AWG OD-25 / 15mm	£ 1.46	0.028
000-1454	0,300mH +/-3% 0,500Ω wire 0,63mm=22AWG OD-30 / 8mm	£ 1.42	0.026
000-1529	0,320mH +/-3% 0,560Ω wire 0,63mm=22AWG OD-25 / 15mm	£ 1.49	0.029
000-1890	0,330mH +/-3% 0,580Ω wire 0,63mm=22AWG OD-25 / 15mm	£ 1.51	0.030
000-0908	0,340mH +/-3% 0,580Ω wire 0,63mm=22AWG OD-31 / 8mm	£ 1.49	0.029
000-1453	0,350mH +/-3% 0,580Ω wire 0,63mm=22AWG OD-31 / 8mm	£ 1.49	0.029
000-1317	0,370mH +/-3% 0,620Ω wire 0,63mm=22AWG OD-25 / 15mm	£ 1.54	0.031
000-1343	0,370mH +/-3% 0,580Ω wire 0,63mm=22AWG OD-31 / 8mm	£ 1.51	0.030
000-1344	0,370mH +/-3% 0,630Ω wire 0,63mm=22AWG OD-33 / 15mm	£ 1.56	0.032
000-1171	0,400mH +/-3% 0,598Ω wire 0,63mm=22AWG OD-32 / 8mm	£ 1.54	0.031
000-1489	0,400mH +/-3% 0,640Ω wire 0,63mm=22AWG OD-26 / 15mm	£ 1.58	0.033
000-1451	0,420mH +/-3% 0,650Ω wire 0,63mm=22AWG OD-26 / 15mm	£ 1.61	0.034
000-0899	0,430mH +/-3% 0,670Ω wire 0,63mm=22AWG OD-34 / 15mm	£ 1.61	0.034
000-1192	0,440mH +/-3% 0,680Ω wire 0,63mm=22AWG OD-34 / 15mm	£ 1.63	0.035
000-1294	0,470mH +/-3% 0,690Ω wire 0,63mm=22AWG OD-27 / 15mm	£ 1.66	0.036
000-1297	0,470mH +/-3% 0,730Ω wire 0,63mm=22AWG OD-34 / 15mm	£ 1.66	0.036
000-0855	0,500mH +/-3% 0,71Ω wire 0,63mm=22AWG OD-26 / 15mm	£ 1.70	0.038
000-1596	0,500mH +/-3% 0,670Ω wire 0,63mm=22AWG OD-33 / 8mm	£ 1.63	0.035

000-1145	0,550mH +/-3% 0,750Ω wire 0,63mm=22AWG OD-27 / 15mm	£ 1.72	0.039
000-1026	0,560mH +/-3% 0,760Ω wire 0,63mm=22AWG OD-27 / 15mm	£ 1.72	0.039
000-1439	0,590mH +/-3% 0,815Ω wire 0,63mm=22AWG OD-28 / 15mm	£ 1.75	0.040
000-1353	0,610mH +/-3% 0,820Ω wire 0,63mm=22AWG OD-28 / 15mm	£ 1.77	0.041
000-1398	0,637mH +/-1% 0,890Ω wire 0,63mm=22AWG OD-29 / 15mm	£ 2.00	0.042
000-1766	0,680mH +/-3% 0,870Ω wire 0,63mm=22AWG OD-28 / 15mm	£ 1.80	0.042
000-1352	0,700mH +/-3% 0,900Ω wire 0,63mm=22AWG OD-29 / 15mm	£ 1.84	0.044
000-1296	0,740mH +/-3% 0,940Ω wire 0,63mm=22AWG OD-35 / 15mm	£ 1.87	0.045
000-0156	0,820mH +/-3% 0,97Ω wire 0,63mm=22AWG OD-36 / 15mm	£ 1.96	0.049
000-1295	0,870mH +/-3% 1,010Ω wire 0,63mm=22AWG OD-36 / 15mm	£ 1.96	0.049
000-0962	0,950mH +/-3% 1,030Ω wire 0,63mm=22AWG OD-30 / 15mm	£ 2.04	0.052
000-1440	1,000mH +/-3% 1,100Ω wire 0,63mm=22AWG OD-30 / 15mm	£ 2.10	0.055
000-1887	1,100mH +/-3% 1,150Ω wire 0,63mm=22AWG OD-30 / 15mm	£ 2.23	0.056
000-0853	1,200mH +/-3% 1,18Ω wire 0,63mm=22AWG OD-32 / 15mm	£ 2.27	0.058
000-0974	1,250mH +/-3% 1,21Ω wire 0,63mm=22AWG OD-32 / 15mm	£ 2.37	0.062
000-1461	1,400mH +/-3% 1,310Ω wire 0,63mm=22AWG OD-33 / 15mm	£ 2.44	0.065
000-1888	1,500mH +/-3% 1,350Ω wire 0,63mm=22AWG OD-33 / 15mm	£ 2.53	0.069
000-0146	1,600mH +/-3% 1,39Ω wire 0,63mm=22AWG OD-34 / 15mm	£ 2.56	0.070
000-0852	2,000mH +/-3% 1,61Ω wire 0,63mm=22AWG OD-36 / 15mm	£ 2.79	0.080
000-1119	2,500mH +/-3% 1,840Ω wire 0,63mm=22AWG OD-38 / 15mm	£ 3.16	0.090
000-1126	2,550mH +/-3% 1,840Ω wire 0,63mm=22AWG OD-38 / 15mm	£ 3.18	0.091
000-0996	2,900mH +/-3% 2,100Ω wire 0,63mm=22AWG OD-53 / 21mm	£ 6.12	0.106
000-1891	3,000mH +/-3% 2,220Ω wire 0,63mm=22AWG OD-38 / 30mm	£ 3.69	0.113
000-1127	3,900mH +/-3% 2,320Ω wire 0,63mm=22AWG OD-43 / 15mm	£ 3.87	0.120
000-0147	5,000mH +/-3% 3,06Ω wire 0,63mm=22AWG OD-40 / 30mm	£ 4.69	0.148
000-0148	6,000mH +/-3% 3,29Ω wire 0,63mm=22AWG OD-41 / 30mm	£ 5.09	0.165
000-0851	7,800mH +/-3% 3,81Ω wire 0,63mm=22AWG OD-43 / 30mm	£ 5.68	0.190
000-0836	9,000mH +/-3% 5,11Ω wire 0,63mm=22AWG OD-44 / 60mm	£ 9.28	0.240
000-1749	11,000mH +/-3% 5,550Ω wire 0,63mm=22AWG OD-46 / 60mm	£ 10.11	0.275
000-0926	12,000mH +/-3% 5,800Ω wire 0,63mm=22AWG OD-46 / 60mm	£ 10.34	0.285
000-0815	21,000mH +/-3% 8,06Ω wire 0,63mm=22AWG OD-51 / 60mm	£ 16.39	0.388
000-0915	22,000mH +/-3% 8,100Ω wire 0,63mm=22AWG OD-51 / 60mm	£ 16.70	0.401
000-1532	0,025mH +/-1% 0,132Ω wire 0,70mm=21AWG OD-13 / 25mm	£ 2.05	0.011
000-1318	0,047mH +/-1% 0,170Ω wire 0,70mm=21AWG OD-20 / 15mm	£ 2.12	0.013
000-1603	0,050mH +/-1% 0,170Ω wire 0,70mm=21AWG OD-21 / 15mm	£ 1.78	0.014
000-0150	0,055mH +/-1% 0,170Ω wire 0,70mm=21AWG OD-25 / 8mm	£ 1.78	0.013
000-1903	0,060mH +/-1% 0,170Ω wire 0,70mm=21AWG OD-25 / 8mm	£ 1.78	0.014
000-1069	0,075mH +/-1% 0,185Ω wire 0,70mm=21AWG OD-25 / 8mm	£ 2.18	0.016
000-1517	0,080mH +/-1% 0,200Ω wire 0,70mm=21AWG OD-25 / 8mm	£ 1.82	0.016
000-0881	0,090mH +/-1% 0,229Ω wire 0,70mm=21AWG OD-22 / 15mm	£ 1.87	0.018
000-1141	0,090mH +/-1% 0,210Ω wire 0,70mm=21AWG OD-26 / 8mm	£ 1.85	0.017
000-1148	0,100mH +/-3% 0,260Ω wire 0,70mm=21AWG OD-24 / 8mm	£ 1.25	0.019
000-1237	0,100mH +/-3% 0,260Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.30	0.021
000-1361	0,100mH +/-3% 0,330Ω wire 0,70mm=21AWG OD-29 / 30mm	£ 1.38	0.025
000-1752	0,100mH +/-3% 0,290Ω wire 0,70mm=21AWG OD-20 / 27mm	£ 1.37	0.024
000-1801	0,100mH +/-3% 0,230Ω wire 0,70mm=21AWG OD-26 / 8mm	£ 1.23	0.018
000-1900	0,100mH +/-3% 0,250Ω wire 0,70mm=21AWG OD-22 / 15mm	£ 1.17	0.019

000-1692	0,110mH +/-3% 0,250Ω wire 0,70mm=21AWG OD-24 / 15mm	£ 1.22	0.021
000-1090	0,120mH +/-3% 0,250Ω wire 0,70mm=21AWG OD-24 / 15mm	£ 1.24	0.022
000-1261	0,120mH +/-3% 0,26Ω wire 0,70mm=21AWG OD-27 / 8mm	£ 1.19	0.020
000-1531	0,130mH +/-3% 0,290Ω wire 0,70mm=21AWG OD-25 / 15mm	£ 1.24	0.022
000-0168	0,135mH +/-3% 0,291Ω wire 0,70mm=21AWG OD-25 / 15mm	£ 1.26	0.023
000-1007	0,150mH +/-3% 0,310Ω wire 0,70mm=21AWG OD-25 / 15mm	£ 1.28	0.024
000-1061	0,150mH +/-3% 0,300Ω wire 0,70mm=21AWG OD-30 / 10mm	£ 1.28	0.024
000-1146	0,150mH +/-3% 0,290Ω wire 0,70mm=21AWG OD-25 / 8mm	£ 1.26	0.023
000-1262	0,150mH +/-3% 0,283Ω wire 0,70mm=21AWG OD-29 / 8mm	£ 1.26	0.023
000-1358	0,150mH +/-3% 0,400Ω wire 0,70mm=21AWG OD-29 / 30mm	£ 1.40	0.029
000-1397	0,160mH +/-3% 0,410Ω wire 0,70mm=21AWG OD-29 / 30mm	£ 1.45	0.031
000-1684	0,160mH +/-3% 0,290Ω wire 0,70mm=21AWG OD-29 / 8mm	£ 1.26	0.023
000-1072	0,180mH +/-3% 0,330Ω wire 0,70mm=21AWG OD-25 / 15mm	£ 1.35	0.027
000-1291	0,180mH +/-3% 0,321Ω wire 0,70mm=21AWG OD-30 / 8mm	£ 1.28	0.024
000-1421	0,180mH +/-3% 0,430Ω wire 0,70mm=21AWG OD-29 / 30mm	£ 1.47	0.032
000-1667	0,190mH +/-3% 0,345Ω wire 0,70mm=21AWG OD-25 / 15mm	£ 1.35	0.027
000-1100	0,200mH +/-3% 0,350Ω wire 0,70mm=21AWG OD-30 / 10mm	£ 1.33	0.026
000-1101	0,200mH +/-3% 0,350Ω wire 0,70mm=21AWG OD-25 / 15mm	£ 1.38	0.028
000-1147	0,200mH +/-3% 0,350Ω wire 0,70mm=21AWG OD-28 / 8mm	£ 1.35	0.027
000-1359	0,200mH +/-3% 0,450Ω wire 0,70mm=21AWG OD-30 / 30mm	£ 1.52	0.034
000-1420	0,210mH +/-3% 0,460Ω wire 0,70mm=21AWG OD-30 / 30mm	£ 1.55	0.036
000-1686	0,210mH +/-3% 0,370Ω wire 0,70mm=21AWG OD-31 / 8mm	£ 1.35	0.027
000-1125	0,220mH +/-3% 0,370Ω wire 0,70mm=21AWG OD-26 / 15mm	£ 1.45	0.031
000-1263	0,220mH +/-3% 0,349Ω wire 0,70mm=21AWG OD-31 / 8mm	£ 1.38	0.028
000-1674	0,220mH +/-3% 0,360Ω wire 0,70mm=21AWG OD-29 / 8mm	£ 1.38	0.028
000-1742	0,220mH +/-3% 0,465Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.56	0.036
000-1753	0,220mH +/-3% 0,455Ω wire 0,70mm=21AWG OD-23 / 27mm	£ 1.52	0.034
000-1909	0,220mH +/-3% 0,440Ω wire 0,70mm=21AWG OD-20 / 25mm	£ 1.52	0.034
000-1910	0,220mH +/-3% 0,353Ω wire 0,70mm=21AWG OD-31 / 10mm	£ 1.40	0.029
000-1165	0,230mH +/-3% 0,370Ω wire 0,70mm=21AWG OD-31 / 8mm	£ 1.40	0.029
000-1683	0,240mH +/-3% 0,375Ω wire 0,70mm=21AWG OD-31 / 8mm	£ 1.43	0.030
000-1360	0,250mH +/-3% 0,490Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.63	0.039
000-1464	0,250mH +/-3% 0,400Ω wire 0,70mm=21AWG OD-26 / 15mm	£ 1.45	0.031
000-1645	0,250mH +/-3% 0,380Ω wire 0,70mm=21AWG OD-32 / 8mm	£ 1.45	0.031
000-1162	0,260mH +/-3% 0,410Ω wire 0,70mm=21AWG OD-26 / 15mm	£ 1.50	0.033
000-1419	0,260mH +/-3% 0,500Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.64	0.039
000-1019	0,270mH +/-3% 0,410Ω wire 0,70mm=21AWG OD-26 / 15mm	£ 1.52	0.034
000-1168	0,270mH +/-3% 0,414Ω wire 0,70mm=21AWG OD-32 / 10mm	£ 1.45	0.031
000-1350	0,270mH +/-3% 0,405Ω wire 0,70mm=21AWG OD-33 / 8mm	£ 1.45	0.031
000-1456	0,280mH +/-3% 0,420Ω wire 0,70mm=21AWG OD-26 / 15mm	£ 1.52	0.034
000-1830	0,280mH +/-3% 0,420Ω wire 0,70mm=21AWG OD-33 / 10mm	£ 1.47	0.032
000-1643	0,290mH +/-3% 0,420Ω wire 0,70mm=21AWG OD-33 / 8mm	£ 1.47	0.032
000-1170	0,300mH +/-3% 0,440Ω wire 0,70mm=21AWG OD-27 / 15mm	£ 1.54	0.035
000-1223	0,300mH +/-3% 0,430Ω wire 0,70mm=21AWG OD-34 / 10mm	£ 1.54	0.035
000-1362	0,300mH +/-3% 0,540Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.71	0.042
000-1880	0,300mH +/-3% 0,430Ω wire 0,70mm=21AWG OD-33 / 8mm	£ 1.52	0.034
000-1433	0,310mH +/-3% 0,550Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.72	0.043
000-1685	0,310mH +/-3% 0,460Ω wire 0,70mm=21AWG OD-27 / 15mm	£ 1.54	0.035



000-1661	0,320mH +/-3% 0,470Ω wire 0,70mm=21AWG OD-27 / 15mm	£ 1.56	0.036
000-1021	0,330mH +/-3% 0,480Ω wire 0,70mm=21AWG OD-28 / 15mm	£ 1.59	0.037
000-1264	0,330mH +/-3% 0,445Ω wire 0,70mm=21AWG OD-34 / 8mm	£ 1.56	0.036
000-1743	0,330mH +/-3% 0,561Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.75	0.044
000-1754	0,330mH +/-3% 0,561Ω wire 0,70mm=21AWG OD-24 / 27mm	£ 1.71	0.042
000-1332	0,350mH +/-3% 0,490Ω wire 0,70mm=21AWG OD-28 / 15mm	£ 1.61	0.038
000-1354	0,350mH +/-3% 0,475Ω wire 0,70mm=21AWG OD-34 / 8mm	£ 1.59	0.037
000-1363	0,350mH +/-3% 0,580Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.77	0.045
000-1082	0,360mH +/-3% 0,525Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.61	0.038
000-1432	0,360mH +/-3% 0,590Ω wire 0,70mm=21AWG OD-31 / 30mm	£ 1.82	0.047
000-0858	0,370mH +/-3% 0,50Ω wire 0,70mm=21AWG OD-35 / 8mm	£ 1.61	0.038
000-1018	0,390mH +/-3% 0,527Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.68	0.041
000-1292	0,390mH +/-3% 0,498Ω wire 0,70mm=21AWG OD-35 / 8mm	£ 1.63	0.039
000-1908	0,390mH +/-3% 0,600Ω wire 0,70mm=21AWG OD-22 / 25mm	£ 1.80	0.046
000-1364	0,400mH +/-3% 0,640Ω wire 0,70mm=21AWG OD-32 / 30mm	£ 1.87	0.049
000-1474	0,400mH +/-3% 0,530Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.68	0.041
000-1447	0,410mH +/-3% 0,580Ω wire 0,70mm=21AWG OD-29 / 20mm	£ 1.75	0.044
000-1404	0,420mH +/-3% 0,540Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.71	0.042
000-1968	0,430mH +/-3% 0,545Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.71	0.042
000-1974	0,440mH +/-3% 0,560Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.71	0.043
000-1365	0,450mH +/-3% 0,660Ω wire 0,70mm=21AWG OD-32 / 30mm	£ 1.96	0.053
000-1331	0,460mH +/-3% 0,560Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.72	0.043
000-1030	0,470mH +/-3% 0,570Ω wire 0,70mm=21AWG OD-29 / 15mm	£ 1.77	0.045
000-1755	0,480mH +/-3% 0,700Ω wire 0,70mm=21AWG OD-25 / 27mm	£ 1.96	0.053
000-1762	0,480mH +/-3% 0,690Ω wire 0,70mm=21AWG OD-32 / 30mm	£ 1.99	0.054
000-1689	0,490mH +/-3% 0,580Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.80	0.046
000-0835	0,500mH +/-3% 0,70Ω wire 0,70mm=21AWG OD-23 / 25mm	£ 1.96	0.053
000-1366	0,500mH +/-3% 0,700Ω wire 0,70mm=21AWG OD-32 / 30mm	£ 2.00	0.055
000-1405	0,500mH +/-3% 0,580Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.82	0.047
000-1881	0,500mH +/-3% 0,640Ω wire 0,70mm=21AWG OD-30 / 20mm	£ 1.89	0.050
000-1431	0,510mH +/-3% 0,710Ω wire 0,70mm=21AWG OD-32 / 30mm	£ 2.03	0.056
000-1665	0,520mH +/-3% 0,590Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.82	0.047
000-1209	0,550mH +/-3% 0,600Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.87	0.049
000-1040	0,560mH +/-3% 0,610Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.89	0.050
000-1367	0,600mH +/-3% 0,770Ω wire 0,70mm=21AWG OD-32 / 30mm	£ 2.15	0.061
000-1406	0,600mH +/-3% 0,630Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.99	0.054
000-1668	0,620mH +/-3% 0,650Ω wire 0,70mm=21AWG OD-30 / 15mm	£ 1.96	0.053
000-0914	0,650mH +/-3% 0,800Ω wire 0,70mm=21AWG OD-25 / 25mm	£ 2.17	0.062
000-1044	0,680mH +/-3% 0,700Ω wire 0,70mm=21AWG OD-32 / 15mm	£ 2.03	0.056
000-1907	0,680mH +/-3% 0,820Ω wire 0,70mm=21AWG OD-25 / 25mm	£ 2.19	0.063
000-1334	0,700mH +/-3% 0,710Ω wire 0,70mm=21AWG OD-32 / 15mm	£ 2.05	0.057
000-1410	0,700mH +/-3% 0,850Ω wire 0,70mm=21AWG OD-33 / 30mm	£ 2.26	0.066
000-1356	0,750mH +/-3% 0,740Ω wire 0,70mm=21AWG OD-32 / 15mm	£ 2.08	0.058
000-0910	0,780mH +/-3% 0,750Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.12	0.060
000-1696	0,790mH +/-3% 0,750Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.15	0.061
000-0844	0,800mH +/-3% 0,87Ω wire 0,70mm=21AWG OD-25 / 25mm	£ 2.33	0.069
000-1169	0,800mH +/-3% 0,750Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.15	0.061
000-1368	0,800mH +/-3% 0,900Ω wire 0,70mm=21AWG OD-33 / 30mm	£ 2.31	0.068

000-1860	0,820mH +/-3% 0,760Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.17	0.062
000-1669	0,860mH +/-3% 0,800Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.21	0.063
000-1443	0,870mH +/-3% 0,800Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.22	0.064
000-1437	0,880mH +/-3% 0,940Ω wire 0,70mm=21AWG OD-34 / 30mm	£ 2.47	0.075
000-1408	0,890mH +/-3% 0,800Ω wire 0,70mm=21AWG OD-33 / 15mm	£ 2.22	0.064
000-1001	0,900mH +/-3% 0,950Ω wire 0,70mm=21AWG OD-35 / 30mm	£ 2.49	0.076
000-1448	0,900mH +/-3% 0,810Ω wire 0,70mm=21AWG OD-34 / 15mm	£ 2.25	0.065
000-1369	0,930mH +/-3% 0,970Ω wire 0,70mm=21AWG OD-35 / 30mm	£ 2.52	0.077
000-1399	0,950mH +/-3% 0,830Ω wire 0,70mm=21AWG OD-34 / 15mm	£ 2.28	0.067
000-1436	0,960mH +/-3% 0,990Ω wire 0,70mm=21AWG OD-35 / 30mm	£ 2.54	0.078
000-1370	1,000mH +/-3% 1,000Ω wire 0,70mm=21AWG OD-35 / 30mm	£ 2.59	0.080
000-1409	1,000mH +/-3% 0,850Ω wire 0,70mm=21AWG OD-34 / 15mm	£ 2.33	0.069
000-1477	1,100mH +/-3% 0,920Ω wire 0,70mm=21AWG OD-35 / 15mm	£ 2.48	0.072
000-1863	1,200mH +/-3% 0,950Ω wire 0,70mm=21AWG OD-36 / 15mm	£ 2.60	0.077
000-1293	1,300mH +/-3% 1,010Ω wire 0,70mm=21AWG OD-36 / 15mm	£ 2.69	0.081
000-1371	1,300mH +/-3% 1,170Ω wire 0,70mm=21AWG OD-36 / 30mm	£ 2.92	0.091
000-1330	1,400mH +/-3% 1,100Ω wire 0,70mm=21AWG OD-37 / 15mm	£ 2.76	0.084
000-1441	1,430mH +/-3% 1,080Ω wire 0,70mm=21AWG OD-38 / 15mm	£ 2.81	0.086
000-1865	1,500mH +/-3% 1,100Ω wire 0,70mm=21AWG OD-38 / 15mm	£ 2.85	0.088
000-1670	1,520mH +/-3% 1,100Ω wire 0,70mm=21AWG OD-38 / 15mm	£ 2.88	0.089
000-1306	1,600mH +/-3% 1,150Ω wire 0,70mm=21AWG OD-38 / 15mm	£ 2.92	0.091
000-1309	1,700mH +/-3% 1,200Ω wire 0,70mm=21AWG OD-38 / 15mm	£ 3.00	0.094
000-1411	1,800mH +/-3% 1,380Ω wire 0,70mm=21AWG OD-38 / 30mm	£ 3.37	0.110
000-1466	1,800mH +/-3% 1,250Ω wire 0,70mm=21AWG OD-40 / 15mm	£ 3.07	0.097
000-1311	1,900mH +/-3% 1,260Ω wire 0,70mm=21AWG OD-40 / 15mm	£ 3.13	0.100
000-0162	1,940mH +/-3% 1,30Ω wire 0,70mm=21AWG OD-40 / 15mm	£ 3.16	0.101
000-1482	2,000mH +/-3% 1,330Ω wire 0,70mm=21AWG OD-41 / 15mm	£ 3.23	0.104
000-1697	2,100mH +/-3% 1,360Ω wire 0,70mm=21AWG OD-37 / 30mm	£ 3.61	0.116
000-1316	2,200mH +/-3% 1,550Ω wire 0,70mm=21AWG OD-39 / 30mm	£ 3.72	0.121
000-1355	2,200mH +/-3% 1,380Ω wire 0,70mm=21AWG OD-41 / 15mm	£ 3.49	0.111
000-1342	2,700mH +/-3% 1,750Ω wire 0,70mm=21AWG OD-39 / 30mm	£ 4.03	0.134
000-1378	2,700mH +/-3% 1,560Ω wire 0,70mm=21AWG OD-42 / 15mm	£ 3.79	0.124
000-1392	3,000mH +/-3% 1,680Ω wire 0,70mm=21AWG OD-43 / 15mm	£ 3.95	0.131
000-1200	3,300mH +/-3% 1,760Ω wire 0,70mm=21AWG OD-45 / 15mm	£ 4.12	0.138
000-1050	3,350mH +/-3% 1,950Ω wire 0,70mm=21AWG OD-40 / 30mm	£ 4.47	0.153
000-1312	3,500mH +/-3% 1,760Ω wire 0,70mm=21AWG OD-46 / 15mm	£ 4.19	0.141
000-1326	3,900mH +/-3% 2,100Ω wire 0,70mm=21AWG OD-41 / 30mm	£ 4.75	0.165
000-1185	4,000mH +/-3% 2,030Ω wire 0,70mm=21AWG OD-47 / 15mm	£ 4.44	0.152
000-1920	4,000mH +/-3% 2,200Ω wire 0,70mm=21AWG OD-43 / 30mm	£ 4.77	0.163
000-1393	4,200mH +/-3% 2,190Ω wire 0,70mm=21AWG OD-41 / 30mm	£ 4.91	0.172
000-1671	4,400mH +/-3% 2,230Ω wire 0,70mm=21AWG OD-43 / 30mm	£ 5.00	0.176
000-1520	4,700mH +/-3% 2,330Ω wire 0,70mm=21AWG OD-43 / 30mm	£ 5.14	0.182
000-1938	5,000mH +/-3% 2,450Ω wire 0,70mm=21AWG OD-43 / 30mm	£ 5.33	0.190
000-1653	5,600mH +/-3% 2,650Ω wire 0,70mm=21AWG OD-44 / 30mm	£ 5.68	0.205
000-0945	6,000mH +/-3% 2,720Ω wire 0,70mm=21AWG OD-45 / 30mm	£ 5.92	0.210
000-1329	6,200mH +/-3% 2,740Ω wire 0,70mm=21AWG OD-45 / 30mm	£ 5.99	0.213
000-1333	6,800mH +/-3% 2,850Ω wire 0,70mm=21AWG OD-45 / 30mm	£ 6.42	0.224
000-0934	7,000mH +/-3% 3,080Ω wire 0,70mm=21AWG OD-46 / 30mm	£ 6.47	0.226

000-1023	8,200mH +/-3% 3,350Ω wire 0,70mm=21AWG OD-48 / 30mm	£ 7.58	0.248
000-1248	10,000mH +/-3% 3,700Ω wire 0,70mm=21AWG OD-49 / 30mm	£ 8.33	0.280
000-1781	10,000mH +/-3% 4,230Ω wire 0,70mm=21AWG OD-48 / 60mm	£ 11.32	0.331
000-1698	11,000mH +/-3% 4,450Ω wire 0,70mm=21AWG OD-48 / 60mm	£ 11.65	0.345
000-0964	12,000mH +/-3% 4,71Ω wire 0,70mm=21AWG OD-49 / 60mm	£ 12.00	0.360
000-1687	13,000mH +/-3% 4,970Ω wire 0,70mm=21AWG OD-50 / 60mm	£ 12.33	0.374
000-1561	15,000mH +/-3% 5,270Ω wire 0,70mm=21AWG OD-51 / 60mm	£ 13.21	0.412
000-0841	16,000mH +/-3% 5,52Ω wire 0,70mm=21AWG OD-51 / 60mm	£ 15.25	0.433
000-0943	17,000mH +/-3% 5,780Ω wire 0,70mm=21AWG OD-52 / 60mm	£ 15.48	0.443
000-1699	18,000mH +/-3% 5,780Ω wire 0,70mm=21AWG OD-52 / 60mm	£ 15.76	0.455
000-1765	20,000mH +/-3% 6,380Ω wire 0,70mm=21AWG OD-52 / 60mm	£ 18.42	0.480
000-0871	22,000mH +/-3% 6,650Ω wire 0,70mm=21AWG OD-53 / 60mm	£ 19.81	0.505
000-1663	25,000mH +/-3% 7,000Ω wire 0,70mm=21AWG OD-55 / 60mm	£ 20.74	0.545
000-1690	27,000mH +/-3% 7,300Ω wire 0,70mm=21AWG OD-55 / 60mm	£ 21.23	0.566
000-0959	30,000mH +/-3% 8,000Ω wire 0,70mm=21AWG OD-56 / 60mm	£ 21.95	0.597
000-1662	35,000mH +/-3% 9,960Ω wire 0,70mm=21AWG OD-46 / 75mm	£ 25.47	0.705
000-0812	0,005mH +/-1% 0,06Ω wire 0,80mm=20AWG OD-9 / 8mm	£ 1.90	0.004
000-1557	0,010mH +/-1% 0,070Ω wire 0,80mm=20AWG OD-14 / 25mm	£ 1.74	0.010
000-1790	0,015mH +/-1% 0,080Ω wire 0,80mm=20AWG OD-14 / 25mm	£ 2.08	0.012
000-0813	0,020mH +/-1% 0,10Ω wire 0,80mm=20AWG OD-19 / 8mm	£ 1.72	0.009
000-1522	0,020mH +/-3% 0,090Ω wire 0,80mm=20AWG OD-14 / 25mm	£ 1.81	0.013
000-0814	0,030mH +/-1% 0,12Ω wire 0,80mm=20AWG OD-20 / 8mm	£ 1.79	0.012
000-1523	0,030mH +/-1% 0,120Ω wire 0,80mm=20AWG OD-15 / 25mm	£ 2.23	0.016
000-1110	0,040mH +/-1% 0,13Ω wire 0,80mm=20AWG OD-21 / 8mm	£ 1.84	0.014
000-0918	0,050mH +/-1% 0,124Ω wire 0,80mm=20AWG OD-23 / 8mm	£ 1.88	0.016
000-1053	0,060mH +/-1% 0,135Ω wire 0,80mm=20AWG OD-23 / 8mm	£ 1.87	0.018
000-1426	0,075mH +/-1% 0,157Ω wire 0,80mm=20AWG OD-25 / 8mm	£ 2.30	0.021
000-1154	0,080mH +/-1% 0,157Ω wire 0,80mm=20AWG OD-25 / 8mm	£ 1.95	0.022
000-1002	0,100mH +/-3% 0,190Ω wire 0,80mm=20AWG OD-31 / 10mm	£ 1.32	0.026
000-1149	0,100mH +/-3% 0,190Ω wire 0,80mm=20AWG OD-27 / 8mm	£ 1.30	0.025
000-1449	0,100mH +/-3% 0,190Ω wire 0,80mm=20AWG OD-24 / 15mm	£ 1.32	0.026
000-1634	0,110mH +/-3% 0,200Ω wire 0,80mm=20AWG OD-31 / 10mm	£ 1.35	0.027
000-1812	0,120mH +/-3% 0,210Ω wire 0,80mm=20AWG OD-31 / 10mm	£ 1.37	0.028
000-0208	0,130mH +/-3% 0,30Ω wire 0,80mm=20AWG OD-18 / 40mm	£ 1.95	0.040
000-0901	0,130mH +/-3% 0,221Ω wire 0,80mm=20AWG OD-32 / 10mm	£ 1.41	0.030
000-1112	0,140mH +/-3% 0,225Ω wire 0,80mm=20AWG OD-32 / 10mm	£ 1.41	0.030
000-1045	0,150mH +/-3% 0,240Ω wire 0,80mm=20AWG OD-26 / 15mm	£ 1.48	0.033
000-1815	0,150mH +/-3% 0,230Ω wire 0,80mm=20AWG OD-32 / 10mm	£ 1.46	0.032
000-1817	0,160mH +/-3% 0,240Ω wire 0,80mm=20AWG OD-33 / 10mm	£ 1.46	0.032
000-1066	0,180mH +/-3% 0,270Ω wire 0,80mm=20AWG OD-27 / 15mm	£ 1.58	0.037
000-1818	0,180mH +/-3% 0,250Ω wire 0,80mm=20AWG OD-34 / 10mm	£ 1.53	0.035
000-0941	0,190mH +/-3% 0,290Ω wire 0,80mm=20AWG OD-29 / 13mm	£ 1.58	0.037
000-1597	0,190mH +/-3% 0,290Ω wire 0,80mm=20AWG OD-28 / 15mm	£ 1.58	0.037
000-1109	0,200mH +/-3% 0,290Ω wire 0,80mm=20AWG OD-29 / 13mm	£ 1.58	0.037
000-1622	0,200mH +/-3% 0,295Ω wire 0,80mm=20AWG OD-28 / 15mm	£ 1.58	0.037
000-1824	0,200mH +/-3% 0,290Ω wire 0,80mm=20AWG OD-34 / 10mm	£ 1.58	0.037
000-1086	0,210mH +/-3% 0,295Ω wire 0,80mm=20AWG OD-34 / 10mm	£ 1.60	0.038

000-1308	0,220mH +/-3% 0,300Ω wire 0,80mm=20AWG OD-33 / 8mm	£ 1.62	0.039
000-1708	0,220mH +/-3% 0,310Ω wire 0,80mm=20AWG OD-28 / 15mm	£ 1.64	0.039
000-1825	0,220mH +/-3% 0,300Ω wire 0,80mm=20AWG OD-34 / 10mm	£ 1.62	0.039
000-1616	0,230mH +/-3% 0,305Ω wire 0,80mm=20AWG OD-35 / 10mm	£ 1.64	0.040
000-1084	0,240mH +/-3% 0,310Ω wire 0,80mm=20AWG OD-35 / 10mm	£ 1.64	0.041
000-1528	0,250mH +/-3% 0,330Ω wire 0,80mm=20AWG OD-29 / 15mm	£ 1.71	0.043
000-1113	0,260mH +/-3% 0,317Ω wire 0,80mm=20AWG OD-36 / 10mm	£ 1.69	0.042
000-1828	0,270mH +/-3% 0,330Ω wire 0,80mm=20AWG OD-36 / 10mm	£ 1.74	0.044
000-1114	0,280mH +/-3% 0,335Ω wire 0,80mm=20AWG OD-36 / 10mm	£ 1.76	0.045
000-1832	0,300mH +/-3% 0,370Ω wire 0,80mm=20AWG OD-29 / 15mm	£ 1.81	0.047
000-1115	0,320mH +/-3% 0,366Ω wire 0,80mm=20AWG OD-30 / 15mm	£ 1.85	0.049
000-1835	0,330mH +/-3% 0,390Ω wire 0,80mm=20AWG OD-30 / 15mm	£ 1.90	0.051
000-1204	0,350mH +/-3% 0,400Ω wire 0,80mm=20AWG OD-30 / 15mm	£ 1.94	0.053
000-1492	0,370mH +/-3% 0,410Ω wire 0,80mm=20AWG OD-31 / 15mm	£ 1.94	0.053
000-1839	0,390mH +/-3% 0,420Ω wire 0,80mm=20AWG OD-31 / 15mm	£ 1.97	0.054
000-1840	0,400mH +/-3% 0,430Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 1.99	0.055
000-1120	0,410mH +/-3% 0,435Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 2.04	0.057
000-1188	0,420mH +/-3% 0,440Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 2.04	0.057
000-1121	0,430mH +/-3% 0,445Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 2.06	0.058
000-1460	0,440mH +/-3% 0,455Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 2.08	0.059
000-1195	0,450mH +/-3% 0,460Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 2.13	0.061
000-1843	0,470mH +/-3% 0,470Ω wire 0,80mm=20AWG OD-32 / 15mm	£ 2.15	0.062
000-1122	0,490mH +/-3% 0,477Ω wire 0,80mm=20AWG OD-33 / 15mm	£ 2.17	0.063
000-1034	0,500mH +/-3% 0,490Ω wire 0,80mm=20AWG OD-33 / 15mm	£ 2.17	0.063
000-1123	0,510mH +/-3% 0,495Ω wire 0,80mm=20AWG OD-33 / 15mm	£ 2.20	0.064
000-1124	0,530mH +/-3% 0,500Ω wire 0,80mm=20AWG OD-34 / 15mm	£ 2.24	0.066
000-1846	0,550mH +/-3% 0,500Ω wire 0,80mm=20AWG OD-34 / 15mm	£ 2.29	0.068
000-1848	0,560mH +/-3% 0,510Ω wire 0,80mm=20AWG OD-34 / 15mm	£ 2.29	0.068
000-0155	0,580mH +/-3% 0,51Ω wire 0,80mm=20AWG OD-33 / 15mm	£ 2.29	0.067
000-1850	0,600mH +/-3% 0,530Ω wire 0,80mm=20AWG OD-35 / 15mm	£ 2.36	0.071
000-1558	0,620mH +/-3% 0,550Ω wire 0,80mm=20AWG OD-35 / 15mm	£ 2.38	0.072
000-1929	0,650mH +/-3% 0,560Ω wire 0,80mm=20AWG OD-35 / 15mm	£ 2.43	0.074
000-0179	0,670mH +/-3% 0,55Ω wire 0,80mm=20AWG OD-35 / 15mm	£ 2.40	0.073
000-1852	0,680mH +/-3% 0,560Ω wire 0,80mm=20AWG OD-35 / 15mm	£ 2.45	0.075
000-1855	0,700mH +/-3% 0,570Ω wire 0,80mm=20AWG OD-35 / 15mm	£ 2.49	0.077
000-1856	0,750mH +/-3% 0,590Ω wire 0,80mm=20AWG OD-36 / 15mm	£ 2.59	0.081
000-0958	0,770mH +/-3% 0,620Ω wire 0,80mm=20AWG OD-36 / 15mm	£ 2.61	0.082
000-1394	0,800mH +/-3% 0,620Ω wire 0,80mm=20AWG OD-36 / 15mm	£ 2.63	0.083
000-1859	0,820mH +/-3% 0,630Ω wire 0,80mm=20AWG OD-36 / 15mm	£ 2.63	0.083
000-1128	0,850mH +/-3% 0,640Ω wire 0,80mm=20AWG OD-37 / 15mm	£ 2.68	0.085
000-1052	0,890mH +/-3% 0,670Ω wire 0,80mm=20AWG OD-38 / 15mm	£ 2.75	0.088
000-1526	0,900mH +/-3% 0,670Ω wire 0,80mm=20AWG OD-38 / 15mm	£ 2.77	0.089
000-0837	0,920mH +/-3% 0,68Ω wire 0,80mm=20AWG OD-38 / 15mm	£ 2.79	0.090
000-1134	0,950mH +/-3% 0,680Ω wire 0,80mm=20AWG OD-38 / 15mm	£ 2.84	0.092
000-1056	1,000mH +/-3% 0,710Ω wire 0,80mm=20AWG OD-38 / 15mm	£ 2.93	0.096
000-1231	1,000mH +/-3% 0,720Ω wire 0,80mm=20AWG OD-43 / 15mm	£ 2.84	0.092
000-1135	1,050mH +/-3% 0,730Ω wire 0,80mm=20AWG OD-39 / 15mm	£ 3.03	0.097
000-1478	1,100mH +/-3% 0,760Ω wire 0,80mm=20AWG OD-39 / 15mm	£ 3.03	0.097

000-1136	1,150mH +/-3% 0,760Ω wire 0,80mm=20AWG OD-40 / 15mm	£ 3.15	0.102
000-1864	1,200mH +/-3% 0,800Ω wire 0,80mm=20AWG OD-41 / 15mm	£ 3.24	0.106
000-1137	1,250mH +/-3% 0,800Ω wire 0,80mm=20AWG OD-41 / 15mm	£ 3.24	0.106
000-1138	1,300mH +/-3% 0,820Ω wire 0,80mm=20AWG OD-42 / 15mm	£ 3.36	0.111
000-1150	1,350mH +/-3% 0,850Ω wire 0,80mm=20AWG OD-42 / 15mm	£ 3.36	0.111
000-1524	1,400mH +/-3% 0,860Ω wire 0,80mm=20AWG OD-42 / 15mm	£ 3.38	0.112
000-1151	1,450mH +/-3% 0,870Ω wire 0,80mm=20AWG OD-42 / 15mm	£ 3.47	0.116
000-1060	1,500mH +/-3% 1,000Ω wire 0,80mm=20AWG OD-39 / 30mm	£ 3.79	0.130
000-1103	1,500mH +/-3% 0,900Ω wire 0,80mm=20AWG OD-43 / 15mm	£ 3.54	0.119
000-1253	1,600mH +/-3% 0,950Ω wire 0,80mm=20AWG OD-43 / 15mm	£ 3.61	0.122
000-1252	1,700mH +/-3% 0,990Ω wire 0,80mm=20AWG OD-44 / 15mm	£ 3.68	0.125
000-0819	1,750mH +/-3% 0,970Ω wire 0,80mm=20AWG OD-49 / 15mm	£ 3.77	0.129
000-1480	1,800mH +/-3% 1,100Ω wire 0,80mm=20AWG OD-40 / 30mm	£ 4.14	0.145
000-1893	1,800mH +/-3% 0,970Ω wire 0,80mm=20AWG OD-49 / 15mm	£ 3.79	0.130
000-0864	1,900mH +/-3% 1,11Ω wire 0,80mm=20AWG OD-40 / 30mm	£ 4.16	0.146
000-1159	1,900mH +/-3% 1,040Ω wire 0,80mm=20AWG OD-49 / 15mm	£ 3.88	0.134
000-1062	2,000mH +/-3% 1,180Ω wire 0,80mm=20AWG OD-40 / 30mm	£ 4.34	0.154
000-1255	2,100mH +/-3% 1,200Ω wire 0,80mm=20AWG OD-41 / 30mm	£ 4.44	0.154
000-0202	2,200mH +/-3% 1,20Ω wire 0,80mm=20AWG OD-46 / 15mm	£ 4.16	0.142
000-1564	2,200mH +/-3% 1,230Ω wire 0,80mm=20AWG OD-41 / 30mm	£ 4.65	0.163
000-0906	2,400mH +/-3% 1,300Ω wire 0,80mm=20AWG OD-43 / 30mm	£ 4.74	0.167
000-0201	2,500mH +/-3% 1,28Ω wire 0,80mm=20AWG OD-48 / 15mm	£ 4.49	0.156
000-1695	2,500mH +/-3% 1,300Ω wire 0,80mm=20AWG OD-42 / 30mm	£ 4.81	0.170
000-0186	2,700mH +/-3% 1,31Ω wire 0,80mm=20AWG OD-52 / 15mm	£ 4.50	0.161
000-0200	2,800mH +/-3% 1,36Ω wire 0,80mm=20AWG OD-48 / 15mm	£ 4.72	0.166
000-1913	3,000mH +/-3% 1,380Ω wire 0,80mm=20AWG OD-44 / 30mm	£ 5.40	0.196
000-1423	3,300mH +/-3% 1,480Ω wire 0,80mm=20AWG OD-46 / 21mm	£ 5.55	0.197
000-1709	3,500mH +/-3% 1,57Ω wire 0,80mm=20AWG OD-45 / 30mm	£ 5.76	0.206
000-1936	4,000mH +/-3% 2,040Ω wire 0,80mm=20AWG OD-34 / 50mm	£ 7.36	0.268
000-1981	4,000mH +/-3% 1,700Ω wire 0,80mm=20AWG OD-45 / 30mm	£ 6.08	0.220
000-1664	4,300mH +/-3% 1,800Ω wire 0,80mm=20AWG OD-47 / 30mm	£ 6.34	0.231
000-0857	4,500mH +/-3% 1,85Ω wire 0,80mm=20AWG OD-46 / 30mm	£ 6.68	0.246
000-0880	4,700mH +/-3% 1,900Ω wire 0,80mm=20AWG OD-46 / 30mm	£ 6.63	0.244
000-1935	4,700mH +/-3% 2,190Ω wire 0,80mm=20AWG OD-36 / 50mm	£ 8.89	0.282
000-1934	5,000mH +/-3% 2,320Ω wire 0,80mm=20AWG OD-36 / 50mm	£ 9.38	0.303
000-1982	5,000mH +/-3% 1,950Ω wire 0,80mm=20AWG OD-48 / 30mm	£ 6.97	0.259
000-1652	5,600mH +/-3% 2,100Ω wire 0,80mm=20AWG OD-48 / 30mm	£ 7.56	0.277
000-1933	5,600mH +/-3% 2,460Ω wire 0,80mm=20AWG OD-38 / 50mm	£ 9.93	0.327
000-1932	6,200mH +/-3% 2,600Ω wire 0,80mm=20AWG OD-40 / 50mm	£ 10.16	0.337
000-1706	6,800mH +/-3% 2,300Ω wire 0,80mm=20AWG OD-52 / 30mm	£ 8.61	0.312
000-1271	8,000mH +/-3% 2,540Ω wire 0,80mm=20AWG OD-54 / 30mm	£ 9.25	0.324
000-1549	10,000mH +/-3% 2,880Ω wire 0,80mm=20AWG OD-55 / 30mm	£ 10.15	0.363
000-0856	12,000mH +/-3% 3,29Ω wire 0,80mm=20AWG OD-57 / 30mm	£ 11.88	0.412
000-1748	20,000mH +/-3% 5,100Ω wire 0,80mm=20AWG OD-57 / 60mm	£ 21.75	0.632
000-0898	28,000mH +/-3% 5,970Ω wire 0,80mm=20AWG OD-60 / 60mm	£ 24.72	0.761
000-0850	34,000mH +/-3% 6,82Ω wire 0,80mm=20AWG OD-64 / 60mm	£ 26.97	0.859
000-0816	50,000mH +/-3% 8,72Ω wire 0,80mm=20AWG OD-61 / 66mm	£ 35.84	1.110
000-0817	100,000mH +/-3% 12,61Ω wire 0,80mm=20AWG OD-72 / 66mm	£ 47.73	1.628

000-1804	0,025mH +/-1% 0,060Ω wire 1,00mm=18AWG OD-31 / 15mm	£ 2.28	0.021
000-0171	0,033mH +/-1% 0,07Ω wire 1,00mm=18AWG OD-29 / 8mm	£ 1.96	0.023
000-0939	0,045mH +/-1% 0,090Ω wire 1,00mm=18AWG OD-25 / 15mm	£ 2.43	0.028
000-1947	0,050mH +/-1% 0,090Ω wire 1,00mm=18AWG OD-33 / 15mm	£ 2.20	0.031
000-1963	0,050mH +/-1% 0,090Ω wire 1,00mm=18AWG OD-25 / 15mm	£ 2.16	0.029
000-0870	0,055mH +/-1% 0,090Ω wire 1,00mm=18AWG OD-25 / 15mm	£ 2.46	0.029
000-0828	0,068mH +/-1% 0,10Ω wire 1,00mm=18AWG OD-33 / 8mm	£ 2.17	0.032
000-1693	0,070mH +/-1% 0,120Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 2.30	0.038
000-1694	0,070mH +/-1% 0,108Ω wire 1,00mm=18AWG OD-33 / 8mm	£ 2.17	0.032
000-1028	0,080mH +/-1% 0,120Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 2.30	0.038
000-1032	0,085mH +/-1% 0,120Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 2.66	0.038
000-0206	0,100mH +/-3% 0,18Ω wire 1,00mm=18AWG OD-21 / 40mm	£ 2.27	0.056
000-1234	0,100mH +/-3% 0,120Ω wire 1,00mm=18AWG OD-35 / 10mm	£ 1.66	0.042
000-1536	0,100mH +/-3% 0,160Ω wire 1,00mm=18AWG OD-31 / 30mm	£ 1.84	0.050
000-1948	0,100mH +/-3% 0,130Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 1.71	0.044
000-1964	0,100mH +/-3% 0,130Ω wire 1,00mm=18AWG OD-29 / 15mm	£ 1.66	0.042
000-0917	0,110mH +/-3% 0,133Ω wire 1,00mm=18AWG OD-36 / 15mm	£ 1.72	0.045
000-1675	0,120mH +/-3% 0,147Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 1.77	0.047
000-1680	0,120mH +/-3% 0,150Ω wire 1,00mm=18AWG OD-29 / 15mm	£ 1.75	0.046
000-1682	0,120mH +/-3% 0,140Ω wire 1,00mm=18AWG OD-37 / 10mm	£ 1.71	0.044
000-0152	0,126mH +/-1% 0,15Ω wire 1,00mm=18AWG OD-29 / 15mm	£ 2.25	0.047
000-1949	0,130mH +/-3% 0,160Ω wire 1,00mm=18AWG OD-37 / 15mm	£ 1.84	0.050
000-1965	0,130mH +/-3% 0,160Ω wire 1,00mm=18AWG OD-30 / 15mm	£ 1.79	0.048
000-0207	0,140mH +/-3% 0,22Ω wire 1,00mm=18AWG OD-22 / 40mm	£ 2.54	0.068
000-0921	0,140mH +/-3% 0,163Ω wire 1,00mm=18AWG OD-30 / 15mm	£ 1.84	0.050
000-1051	0,150mH +/-3% 0,160Ω wire 1,00mm=18AWG OD-37 / 15mm	£ 1.92	0.054
000-1130	0,150mH +/-3% 0,160Ω wire 1,00mm=18AWG OD-31 / 15mm	£ 1.95	0.055
000-1206	0,150mH +/-3% 0,193Ω wire 1,00mm=18AWG OD-33 / 30mm	£ 2.10	0.062
000-1236	0,150mH +/-3% 0,160Ω wire 1,00mm=18AWG OD-39 / 10mm	£ 1.90	0.053
000-1627	0,160mH +/-3% 0,180Ω wire 1,00mm=18AWG OD-33 / 15mm	£ 1.97	0.056
000-0822	0,170mH +/-3% 0,18Ω wire 1,00mm=18AWG OD-28 / 17mm	£ 2.34	0.059
000-1270	0,170mH +/-3% 0,180Ω wire 1,00mm=18AWG OD-33 / 15mm	£ 1.99	0.057
000-1010	0,180mH +/-3% 0,180Ω wire 1,00mm=18AWG OD-39 / 15mm	£ 2.04	0.059
000-1207	0,180mH +/-3% 0,210Ω wire 1,00mm=18AWG OD-33 / 30mm	£ 2.22	0.067
000-1277	0,180mH +/-3% 0,180Ω wire 1,00mm=18AWG OD-39 / 10mm	£ 1.97	0.056
000-1289	0,180mH +/-3% 0,180Ω wire 1,00mm=18AWG OD-33 / 15mm	£ 2.06	0.060
000-1042	0,190mH +/-3% 0,182Ω wire 1,00mm=18AWG OD-41 / 10mm	£ 2.02	0.058
000-1763	0,190mH +/-3% 0,209Ω wire 1,00mm=18AWG OD-26 / 25mm	£ 2.22	0.067
000-1276	0,200mH +/-3% 0,193Ω wire 1,00mm=18AWG OD-41 / 10mm	£ 2.10	0.062
000-1357	0,200mH +/-3% 0,210Ω wire 1,00mm=18AWG OD-35 / 25mm	£ 2.23	0.068
000-1822	0,200mH +/-3% 0,200Ω wire 1,00mm=18AWG OD-39 / 15mm	£ 2.13	0.063
000-1985	0,200mH +/-3% 0,220Ω wire 1,00mm=18AWG OD-26 / 25mm	£ 2.26	0.069
000-1015	0,220mH +/-3% 0,210Ω wire 1,00mm=18AWG OD-34 / 15mm	£ 2.22	0.067
000-1278	0,220mH +/-3% 0,205Ω wire 1,00mm=18AWG OD-41 / 10mm	£ 2.17	0.065
000-1345	0,220mH +/-3% 0,210Ω wire 1,00mm=18AWG OD-39 / 15mm	£ 2.23	0.068
000-1745	0,220mH +/-3% 0,240Ω wire 1,00mm=18AWG OD-35 / 30mm	£ 2.40	0.075
000-1756	0,220mH +/-3% 0,230Ω wire 1,00mm=18AWG OD-27 / 27mm	£ 2.35	0.073

000-1998	0,220mH +/-3% 0,230Ω wire 1,00mm=18AWG OD-26 / 25mm	£ 2.35	0.073
000-1016	0,230mH +/-3% 0,210Ω wire 1,00mm=18AWG OD-34 / 15mm	£ 2.23	0.068
000-1926	0,240mH +/-3% 0,210Ω wire 1,00mm=18AWG OD-39 / 15mm	£ 2.30	0.071
000-1076	0,250mH +/-3% 0,220Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 2.30	0.071
000-1279	0,250mH +/-3% 0,223Ω wire 1,00mm=18AWG OD-34 / 15mm	£ 2.33	0.072
000-1904	0,250mH +/-3% 0,250Ω wire 1,00mm=18AWG OD-35 / 30mm	£ 2.53	0.081
000-1905	0,250mH +/-3% 0,250Ω wire 1,00mm=18AWG OD-26 / 25mm	£ 2.46	0.078
000-0867	0,256mH +/-3% 0,23Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 2.55	0.074
000-1372	0,260mH +/-3% 0,260Ω wire 1,00mm=18AWG OD-35 / 30mm	£ 2.57	0.083
000-1728	0,260mH +/-3% 0,225Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 2.35	0.073
000-1208	0,270mH +/-3% 0,266Ω wire 1,00mm=18AWG OD-35 / 30mm	£ 2.61	0.085
000-1446	0,270mH +/-3% 0,230Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 2.37	0.074
000-1635	0,270mH +/-3% 0,23Ω wire 1,00mm=18AWG OD-34 / 15mm	£ 2.37	0.074
000-1986	0,270mH +/-3% 0,260Ω wire 1,00mm=18AWG OD-28 / 25mm	£ 2.55	0.082
000-1917	0,275mH +/-1% 0,235Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 2.58	0.075
000-1919	0,275mH +/-1% 0,230Ω wire 1,00mm=18AWG OD-35 / 15mm	£ 2.58	0.075
000-1340	0,280mH +/-3% 0,240Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 2.41	0.076
000-1644	0,290mH +/-3% 0,23Ω wire 1,00mm=18AWG OD-36 / 15mm	£ 2.41	0.076
000-1313	0,300mH +/-3% 0,24Ω wire 1,00mm=18AWG OD-36 / 15mm	£ 2.50	0.080
000-1315	0,300mH +/-3% 0,260Ω wire 1,00mm=18AWG OD-45 / 8mm	£ 2.57	0.078
000-0145	0,310mH +/-3% 0,24Ω wire 1,00mm=18AWG OD-36 / 15mm	£ 2.53	0.081
000-1022	0,330mH +/-3% 0,260Ω wire 1,00mm=18AWG OD-42 / 15mm	£ 2.59	0.084
000-1679	0,330mH +/-3% 0,26Ω wire 1,00mm=18AWG OD-36 / 15mm	£ 2.61	0.085
000-1746	0,330mH +/-3% 0,310Ω wire 1,00mm=18AWG OD-35 / 30mm	£ 2.79	0.093
000-1757	0,330mH +/-3% 0,293Ω wire 1,00mm=18AWG OD-29 / 27mm	£ 2.75	0.091
000-1987	0,330mH +/-3% 0,290Ω wire 1,00mm=18AWG OD-28 / 25mm	£ 2.72	0.090
000-0832	0,340mH +/-3% 0,27Ω wire 1,00mm=18AWG OD-37 / 15mm	£ 2.61	0.085
000-1009	0,350mH +/-3% 0,275Ω wire 1,00mm=18AWG OD-37 / 15mm	£ 2.64	0.086
000-1153	0,360mH +/-3% 0,280Ω wire 1,00mm=18AWG OD-37 / 15mm	£ 2.68	0.088
000-1628	0,360mH +/-3% 0,315Ω wire 1,00mm=18AWG OD-36 / 30mm	£ 2.90	0.098
000-1117	0,370mH +/-3% 0,280Ω wire 1,00mm=18AWG OD-42 / 15mm	£ 2.72	0.090
000-1178	0,370mH +/-3% 0,320Ω wire 1,00mm=18AWG OD-36 / 30mm	£ 2.92	0.098
000-1837	0,380mH +/-3% 0,285Ω wire 1,00mm=18AWG OD-38 / 15mm	£ 2.71	0.089
000-1104	0,390mH +/-3% 0,290Ω wire 1,00mm=18AWG OD-42 / 15mm	£ 2.77	0.092
000-1211	0,390mH +/-3% 0,322Ω wire 1,00mm=18AWG OD-37 / 30mm	£ 2.95	0.100
000-1624	0,390mH +/-3% 0,285Ω wire 1,00mm=18AWG OD-42 / 12mm	£ 2.72	0.090
000-1677	0,390mH +/-3% 0,293Ω wire 1,00mm=18AWG OD-38 / 15mm	£ 2.72	0.090
000-1988	0,390mH +/-3% 0,320Ω wire 1,00mm=18AWG OD-29 / 25mm	£ 3.02	0.103
000-1654	0,400mH +/-3% 0,300Ω wire 1,00mm=18AWG OD-35 / 22mm	£ 2.90	0.098
000-1841	0,400mH +/-3% 0,330Ω wire 1,00mm=18AWG OD-37 / 30mm	£ 3.03	0.104
000-1950	0,400mH +/-3% 0,290Ω wire 1,00mm=18AWG OD-43 / 15mm	£ 2.82	0.094
000-1966	0,400mH +/-3% 0,294Ω wire 1,00mm=18AWG OD-38 / 15mm	£ 2.79	0.093
000-1303	0,410mH +/-3% 0,300Ω wire 1,00mm=18AWG OD-38 / 15mm	£ 2.82	0.094
000-1304	0,410mH +/-3% 0,300Ω wire 1,00mm=18AWG OD-37 / 20mm	£ 2.72	0.090
000-0911	0,424mH +/-1% 0,303Ω wire 1,00mm=18AWG OD-44 / 15mm	£ 3.02	0.095
000-0204	0,430mH +/-3% 0,385Ω wire 1,00mm=18AWG OD-26 / 40mm	£ 3.70	0.120
000-0820	0,430mH +/-3% 0,310Ω wire 1,00mm=18AWG OD-45 / 15mm	£ 2.88	0.097
000-1191	0,440mH +/-3% 0,310Ω wire 1,00mm=18AWG OD-45 / 15mm	£ 2.90	0.098

000-1196	0,450mH +/-3% 0,310Ω wire 1,00mm=18AWG OD-39 / 15mm	£ 2.90	0.098
000-1031	0,470mH +/-3% 0,320Ω wire 1,00mm=18AWG OD-45 / 15mm	£ 3.02	0.103
000-1281	0,470mH +/-3% 0,320Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 2.99	0.102
000-1539	0,470mH +/-3% 0,330Ω wire 1,00mm=18AWG OD-37 / 20mm	£ 2.79	0.093
000-1747	0,470mH +/-3% 0,355Ω wire 1,00mm=18AWG OD-37 / 30mm	£ 3.21	0.112
000-1758	0,470mH +/-3% 0,351Ω wire 1,00mm=18AWG OD-33 / 27mm	£ 3.19	0.111
000-1989	0,470mH +/-3% 0,360Ω wire 1,00mm=18AWG OD-31 / 25mm	£ 3.19	0.111
000-1201	0,480mH +/-3% 0,325Ω wire 1,00mm=18AWG OD-45 / 15mm	£ 3.03	0.104
000-1203	0,490mH +/-3% 0,325Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 3.03	0.104
000-1401	0,500mH +/-3% 0,330Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 3.10	0.107
000-1402	0,500mH +/-3% 0,340Ω wire 1,00mm=18AWG OD-39 / 20mm	£ 3.10	0.107
000-1403	0,500mH +/-3% 0,380Ω wire 1,00mm=18AWG OD-39 / 30mm	£ 3.34	0.118
000-1545	0,520mH +/-3% 0,340Ω wire 1,00mm=18AWG OD-46 / 15mm	£ 3.10	0.107
000-0929	0,540mH +/-3% 0,385Ω wire 1,00mm=18AWG OD-33 / 25mm	£ 3.39	0.120
000-0961	0,550mH +/-3% 0,360Ω wire 1,00mm=18AWG OD-39 / 20mm	£ 3.19	0.111
000-1035	0,560mH +/-3% 0,360Ω wire 1,00mm=18AWG OD-46 / 15mm	£ 3.19	0.111
000-1373	0,560mH +/-3% 0,400Ω wire 1,00mm=18AWG OD-39 / 30mm	£ 3.48	0.124
000-1407	0,560mH +/-3% 0,45Ω wire 1,00mm=18AWG OD-30 / 40mm	£ 4.13	0.139
000-1678	0,560mH +/-3% 0,345Ω wire 1,00mm=18AWG OD-40 / 15mm	£ 3.24	0.113
000-1990	0,560mH +/-3% 0,390Ω wire 1,00mm=18AWG OD-33 / 25mm	£ 3.44	0.122
000-1851	0,600mH +/-3% 0,410Ω wire 1,00mm=18AWG OD-39 / 30mm	£ 3.59	0.129
000-1951	0,600mH +/-3% 0,370Ω wire 1,00mm=18AWG OD-47 / 15mm	£ 3.33	0.117
000-1967	0,600mH +/-3% 0,370Ω wire 1,00mm=18AWG OD-44 / 15mm	£ 3.30	0.116
000-1991	0,600mH +/-3% 0,410Ω wire 1,00mm=18AWG OD-33 / 25mm	£ 3.55	0.127
000-0927	0,620mH +/-3% 0,380Ω wire 1,00mm=18AWG OD-47 / 15mm	£ 3.39	0.120
000-0863	0,650mH +/-3% 0,430Ω wire 1,00mm=18AWG OD-34 / 25mm	£ 3.68	0.133
000-1085	0,650mH +/-3% 0,430Ω wire 1,00mm=18AWG OD-39 / 30mm	£ 3.72	0.135
000-1952	0,650mH +/-3% 0,380Ω wire 1,00mm=18AWG OD-47 / 15mm	£ 3.48	0.124
000-1282	0,680mH +/-3% 0,400Ω wire 1,00mm=18AWG OD-45 / 15mm	£ 3.52	0.126
000-1287	0,680mH +/-3% 0,410Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.51	0.125
000-1537	0,680mH +/-3% 0,440Ω wire 1,00mm=18AWG OD-39 / 30mm	£ 3.82	0.139
000-1997	0,680mH +/-3% 0,440Ω wire 1,00mm=18AWG OD-34 / 25mm	£ 3.79	0.138
000-0821	0,690mH +/-3% 0,390Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.57	0.128
000-1144	0,700mH +/-3% 0,400Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.55	0.127
000-0877	0,710mH +/-3% 0,40Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.57	0.128
000-0866	0,720mH +/-3% 0,40Ω wire 1,00mm=18AWG OD-49 / 15mm	£ 3.61	0.130
000-1286	0,740mH +/-3% 0,420Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.55	0.131
000-1075	0,750mH +/-3% 0,420Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.64	0.131
000-1079	0,750mH +/-3% 0,470Ω wire 1,00mm=18AWG OD-40 / 30mm	£ 3.95	0.145
000-0205	0,780mH +/-3% 0,533Ω wire 1,00mm=18AWG OD-30 / 40mm	£ 4.70	0.165
000-0902	0,780mH +/-3% 0,425Ω wire 1,00mm=18AWG OD-50 / 15mm	£ 3.70	0.134
000-1285	0,800mH +/-3% 0,430Ω wire 1,00mm=18AWG OD-50 / 15mm	£ 3.77	0.137
000-1992	0,800mH +/-3% 0,470Ω wire 1,00mm=18AWG OD-35 / 25mm	£ 4.06	0.150
000-0203	0,820mH +/-3% 0,56Ω wire 1,00mm=18AWG OD-32 / 40mm	£ 4.72	0.166
000-1288	0,820mH +/-3% 0,480Ω wire 1,00mm=18AWG OD-40 / 30mm	£ 4.08	0.151
000-1676	0,820mH +/-3% 0,439Ω wire 1,00mm=18AWG OD-50 / 15mm	£ 3.79	0.138
000-1973	0,820mH +/-3% 0,440Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.86	0.141
000-1993	0,820mH +/-3% 0,480Ω wire 1,00mm=18AWG OD-36 / 25mm	£ 4.13	0.153



000-0972	0,840mH +/-3% 0,45Ω wire 1,00mm=18AWG OD-46 / 15mm	£ 3.93	0.144
000-0930	0,850mH +/-3% 0,448Ω wire 1,00mm=18AWG OD-43 / 20mm	£ 3.93	0.144
000-1284	0,850mH +/-3% 0,440Ω wire 1,00mm=18AWG OD-50 / 15mm	£ 3.93	0.144
000-1430	0,850mH +/-3% 0,450Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.93	0.144
000-1861	0,850mH +/-3% 0,500Ω wire 1,00mm=18AWG OD-40 / 30mm	£ 4.13	0.153
000-0818	0,875mH +/-3% 0,460Ω wire 1,00mm=18AWG OD-46 / 15mm	£ 4.15	0.146
000-1429	0,880mH +/-3% 0,470Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 3.97	0.146
000-1647	0,900mH +/-3% 0,530Ω wire 1,00mm=18AWG OD-42 / 30mm	£ 4.26	0.159
000-1953	0,900mH +/-3% 0,460Ω wire 1,00mm=18AWG OD-52 / 15mm	£ 3.99	0.147
000-1969	0,900mH +/-3% 0,470Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 4.01	0.148
000-1235	0,940mH +/-3% 0,500Ω wire 1,00mm=18AWG OD-57 / 21mm	£ 4.21	0.157
000-1954	0,950mH +/-3% 0,480Ω wire 1,00mm=18AWG OD-52 / 15mm	£ 4.17	0.155
000-1970	0,950mH +/-3% 0,480Ω wire 1,00mm=18AWG OD-48 / 15mm	£ 4.13	0.153
000-1374	0,960mH +/-3% 0,540Ω wire 1,00mm=18AWG OD-42 / 30mm	£ 4.41	0.166
000-1057	1,000mH +/-3% 0,550Ω wire 1,00mm=18AWG OD-42 / 30mm	£ 4.55	0.172
000-1239	1,000mH +/-3% 0,480Ω wire 1,00mm=18AWG OD-52 / 15mm	£ 4.24	0.158
000-1972	1,000mH +/-3% 0,490Ω wire 1,00mm=18AWG OD-49 / 15mm	£ 4.21	0.157
000-1994	1,000mH +/-3% 0,540Ω wire 1,00mm=18AWG OD-36 / 25mm	£ 4.68	0.178
000-1078	1,100mH +/-3% 0,570Ω wire 1,00mm=18AWG OD-43 / 30mm	£ 4.72	0.176
000-1625	1,150mH +/-3% 0,590Ω wire 1,00mm=18AWG OD-43 / 30mm	£ 4.87	0.183
000-1280	1,200mH +/-3% 0,555Ω wire 1,00mm=18AWG OD-53 / 15mm	£ 4.72	0.176
000-1467	1,200mH +/-3% 0,550Ω wire 1,00mm=18AWG OD-48 / 20mm	£ 4.65	0.173
000-1901	1,200mH +/-3% 0,600Ω wire 1,00mm=18AWG OD-44 / 30mm	£ 4.90	0.184
000-1995	1,200mH +/-3% 0,590Ω wire 1,00mm=18AWG OD-36 / 25mm	£ 4.94	0.186
000-1626	1,250mH +/-3% 0,610Ω wire 1,00mm=18AWG OD-44 / 30mm	£ 5.03	0.190
000-1048	1,300mH +/-3% 0,610Ω wire 1,00mm=18AWG OD-44 / 30mm	£ 5.18	0.197
000-1375	1,350mH +/-3% 0,630Ω wire 1,00mm=18AWG OD-44 / 30mm	£ 5.29	0.202
000-1955	1,400mH +/-3% 0,650Ω wire 1,00mm=18AWG OD-44 / 30mm	£ 5.40	0.207
000-1649	1,450mH +/-3% 0,670Ω wire 1,00mm=18AWG OD-44 / 30mm	£ 5.47	0.210
000-1087	1,500mH +/-3% 0,670Ω wire 1,00mm=18AWG OD-45 / 30mm	£ 5.52	0.212
000-1283	1,500mH +/-3% 0,640Ω wire 1,00mm=18AWG OD-57 / 15mm	£ 5.22	0.199
000-1999	1,500mH +/-3% 0,650Ω wire 1,00mm=18AWG OD-40 / 25mm	£ 5.63	0.216
000-0976	1,570mH +/-3% 0,70Ω wire 1,00mm=18AWG OD-40 / 32mm	£ 9.59	0.228
000-1943	1,600mH +/-3% 0,650Ω wire 1,00mm=18AWG OD-52 / 20mm	£ 5.49	0.211
000-1516	1,700mH +/-3% 0,720Ω wire 1,00mm=18AWG OD-46 / 30mm	£ 5.81	0.225
000-1521	1,720mH +/-3% 0,660Ω wire 1,00mm=18AWG OD-59 / 15mm	£ 5.58	0.215
000-0157	1,750mH +/-3% 0,690Ω wire 1,00mm=18AWG OD-59 / 15mm	£ 5.58	0.215
000-1131	1,800mH +/-3% 0,740Ω wire 1,00mm=18AWG OD-46 / 30mm	£ 6.03	0.235
000-1290	1,800mH +/-3% 0,700Ω wire 1,00mm=18AWG OD-60 / 15mm	£ 5.65	0.218
000-1942	1,800mH +/-3% 0,700Ω wire 1,00mm=18AWG OD-52 / 20mm	£ 5.74	0.222
000-1377	1,870mH +/-3% 0,760Ω wire 1,00mm=18AWG OD-47 / 30mm	£ 6.20	0.243
000-1063	2,000mH +/-3% 0,800Ω wire 1,00mm=18AWG OD-48 / 30mm	£ 6.40	0.252
000-1065	2,200mH +/-3% 0,840Ω wire 1,00mm=18AWG OD-49 / 30mm	£ 6.75	0.263
000-1941	2,200mH +/-3% 0,800Ω wire 1,00mm=18AWG OD-57 / 20mm	£ 6.57	0.255
000-0936	2,300mH +/-3% 0,845Ω wire 1,00mm=18AWG OD-49 / 30mm	£ 6.88	0.269
000-1623	2,370mH +/-3% 0,850Ω wire 1,00mm=18AWG OD-49 / 30mm	£ 7.02	0.275
000-1088	2,500mH +/-3% 0,880Ω wire 1,00mm=18AWG OD-49 / 30mm	£ 7.22	0.284
000-1940	2,500mH +/-3% 0,850Ω wire 1,00mm=18AWG OD-58 / 20mm	£ 6.81	0.266

000-1503	2,550mH +/-3% 0,890Ω wire 1,00mm=18AWG OD-50 / 30mm	£ 7.23	0.276
000-1491	2,600mH +/-3% 0,900Ω wire 1,00mm=18AWG OD-50 / 30mm	£ 7.26	0.286
000-1307	2,700mH +/-3% 0,920Ω wire 1,00mm=18AWG OD-51 / 30mm	£ 7.58	0.295
000-1939	2,700mH +/-3% 0,900Ω wire 1,00mm=18AWG OD-58 / 20mm	£ 7.36	0.285
000-0063	2,750mH +/-3% 0,450Ω wire 1,00mm=18AWG OD-51 / 30mm	£ 7.79	0.304
000-0971	2,800mH +/-3% 0,95Ω wire 1,00mm=18AWG OD-50 / 30mm	£ 8.03	0.307
000-0990	2,900mH +/-3% 0,98Ω wire 1,00mm=18AWG OD-50 / 30mm	£ 8.07	0.309
000-1068	3,000mH +/-3% 0,990Ω wire 1,00mm=18AWG OD-51 / 30mm	£ 8.13	0.312
000-0189	3,200mH +/-3% 1,04Ω wire 1,00mm=18AWG OD-52 / 30mm	£ 8.43	0.325
000-1070	3,300mH +/-3% 1,040Ω wire 1,00mm=18AWG OD-54 / 30mm	£ 8.44	0.326
000-1975	3,500mH +/-3% 1,100Ω wire 1,00mm=18AWG OD-54 / 30mm	£ 8.98	0.339
000-0167	3,600mH +/-3% 1,08Ω wire 1,00mm=18AWG OD-54 / 30mm	£ 9.25	0.351
000-1930	3,900mH +/-3% 1,200Ω wire 1,00mm=18AWG OD-54 / 30mm	£ 10.03	0.370
000-1956	4,000mH +/-3% 1,21Ω wire 1,00mm=18AWG OD-55 / 30mm	£ 10.15	0.375
000-1043	4,430mH +/-3% 1,240Ω wire 1,00mm=18AWG OD-55 / 30mm	£ 10.30	0.382
000-1957	4,500mH +/-3% 1,250Ω wire 1,00mm=18AWG OD-57 / 30mm	£ 10.80	0.396
000-1240	4,700mH +/-3% 1,300Ω wire 1,00mm=18AWG OD-57 / 30mm	£ 10.94	0.402
000-1892	5,000mH +/-3% 1,300Ω wire 1,00mm=18AWG OD-60 / 30mm	£ 11.31	0.419
000-0184	5,500mH +/-3% 1,37Ω wire 1,00mm=18AWG OD-78 / 15mm	£ 10.91	0.437
000-1538	5,600mH +/-3% 1,400Ω wire 1,00mm=18AWG OD-60 / 30mm	£ 12.55	0.456
000-0970	5,800mH +/-3% 1,68Ω wire 1,00mm=18AWG OD-54 / 60mm	£ 15.38	0.529
000-1508	6,000mH +/-3% 1,660Ω wire 1,00mm=18AWG OD-54 / 60mm	£ 15.38	0.529
000-1958	6,000mH +/-3% 1,450Ω wire 1,00mm=18AWG OD-61 / 30mm	£ 13.28	0.462
000-1768	6,400mH +/-3% 1,540Ω wire 1,00mm=18AWG OD-61 / 30mm	£ 13.95	0.480
000-1666	6,600mH +/-3% 1,580Ω wire 1,00mm=18AWG OD-62 / 30mm	£ 14.13	0.488
000-1707	6,800mH +/-3% 1,590Ω wire 1,00mm=18AWG OD-63 / 30mm	£ 14.31	0.496
000-1959	7,000mH +/-3% 1,600Ω wire 1,00mm=18AWG OD-63 / 30mm	£ 14.48	0.504
000-1960	8,000mH +/-3% 1,750Ω wire 1,00mm=18AWG OD-66 / 30mm	£ 15.82	0.549
000-1238	8,200mH +/-3% 1,780Ω wire 1,00mm=18AWG OD-66 / 30mm	£ 17.14	0.568
000-1961	9,000mH +/-3% 1,850Ω wire 1,00mm=18AWG OD-69 / 30mm	£ 17.83	0.599
000-1962	10,000mH +/-3% 1,950Ω wire 1,00mm=18AWG OD-70 / 30mm	£ 19.91	0.624
000-0158	11,200mH +/-3% 2,198Ω wire 1,00mm=18AWG OD-68 / 30mm	£ 20.71	0.660
000-0897	11,600mH +/-3% 2,860Ω wire 1,00mm=18AWG OD-53 / 100mm	£ 26.84	0.882
000-1971	12,000mH +/-3% 2,230Ω wire 1,00mm=18AWG OD-72 / 30mm	£ 21.48	0.695
000-0956	13,280mH +/-3% 3,170Ω wire 1,00mm=18AWG OD-55 / 100mm	£ 29.08	0.983
000-0872	14,000mH +/-3% 2,450Ω wire 1,00mm=18AWG OD-73 / 30mm	£ 22.64	0.747
000-0873	16,000mH +/-3% 2,660Ω wire 1,00mm=18AWG OD-75 / 30mm	£ 25.19	0.837
000-0197	16,800mH +/-3% 2,660Ω wire 1,00mm=18AWG OD-75 / 30mm	£ 25.86	0.867
000-0840	18,000mH +/-3% 2,81Ω wire 1,00mm=18AWG OD-77 / 30mm	£ 26.54	0.898
000-1659	25,000mH +/-3% 3,700Ω wire 1,00mm=18AWG OD-70 / 60mm	£ 35.88	1.149
000-0874	34,000mH +/-3% 4,180Ω wire 1,00mm=18AWG OD-92 / 30mm	£ 35.24	1.260
000-0193	0,020mH +/-1% 0,04Ω wire 1,20mm=17AWG OD-34 / 15mm	£ 2.15	0.029
000-0192	0,025mH +/-1% 0,04Ω wire 1,20mm=17AWG OD-34 / 15mm	£ 2.21	0.032
000-0949	0,030mH +/-1% 0,049Ω wire 1,20mm=17AWG OD-34 / 15mm	£ 2.25	0.034
000-0920	0,037mH +/-1% 0,058Ω wire 1,20mm=17AWG OD-34 / 15mm	£ 2.59	0.036
000-0831	0,043mH +/-1% 0,060Ω wire 1,20mm=17AWG OD-34 / 15mm	£ 2.45	0.046
000-1024	0,050mH +/-1% 0,060Ω wire 1,20mm=17AWG OD-34 / 15mm	£ 2.45	0.046

000-0951	0,100mH +/-3% 0,10Ω wire 1,20mm=17AWG OD-33 / 15mm	£ 2.10	0.063
000-1533	0,100mH +/-3% 0,117Ω wire 1,20mm=17AWG OD-34 / 30mm	£ 2.25	0.070
000-1810	0,100mH +/-3% 0,090Ω wire 1,20mm=17AWG OD-38 / 15mm	£ 2.14	0.065
000-1620	0,107mH +/-1% 0,100Ω wire 1,20mm=17AWG OD-38 / 15mm	£ 3.27	0.067
000-1621	0,110mH +/-3% 0,100Ω wire 1,20mm=17AWG OD-38 / 15mm	£ 2.18	0.067
000-0928	0,120mH +/-3% 0,110Ω wire 1,20mm=17AWG OD-38 / 15mm	£ 2.29	0.072
000-1092	0,150mH +/-3% 0,120Ω wire 1,20mm=17AWG OD-41 / 15mm	£ 2.44	0.079
000-1496	0,150mH +/-3% 0,146Ω wire 1,20mm=17AWG OD-34 / 30mm	£ 2.75	0.093
000-0952	0,160mH +/-3% 0,12Ω wire 1,20mm=17AWG OD-37 / 15mm	£ 2.51	0.082
000-0965	0,170mH +/-3% 0,14Ω wire 1,20mm=17AWG OD-38 / 15mm	£ 2.68	0.090
000-1937	0,180mH +/-3% 0,140Ω wire 1,20mm=17AWG OD-38 / 15mm	£ 2.71	0.091
000-0919	0,193mH +/-1% 0,145Ω wire 1,20mm=17AWG OD-43 / 15mm	£ 2.89	0.091
000-1600	0,200mH +/-3% 0,150Ω wire 1,20mm=17AWG OD-43 / 15mm	£ 2.75	0.093
000-1928	0,200mH +/-3% 0,150Ω wire 1,20mm=17AWG OD-40 / 15mm	£ 2.72	0.092
000-1559	0,210mH +/-3% 0,150Ω wire 1,20mm=17AWG OD-44 / 15mm	£ 2.79	0.095
000-1921	0,220mH +/-3% 0,170Ω wire 1,20mm=17AWG OD-37 / 30mm	£ 3.18	0.113
000-1922	0,220mH +/-3% 0,160Ω wire 1,20mm=17AWG OD-45 / 15mm	£ 2.90	0.100
000-1923	0,220mH +/-3% 0,160Ω wire 1,20mm=17AWG OD-40 / 15mm	£ 2.84	0.097
000-1642	0,240mH +/-3% 0,165Ω wire 1,20mm=17AWG OD-40 / 15mm	£ 3.11	0.110
000-1093	0,250mH +/-3% 0,170Ω wire 1,20mm=17AWG OD-42 / 15mm	£ 3.18	0.113
000-1412	0,260mH +/-3% 0,186Ω wire 1,20mm=17AWG OD-39 / 30mm	£ 3.25	0.116
000-1632	0,270mH +/-3% 0,160Ω wire 1,20mm=17AWG OD-46 / 15mm	£ 3.18	0.113
000-1916	0,275mH +/-1% 0,170Ω wire 1,20mm=17AWG OD-46 / 15mm	£ 3.41	0.115
000-1759	0,280mH +/-3% 0,192Ω wire 1,20mm=17AWG OD-34 / 27mm	£ 3.46	0.126
000-1764	0,280mH +/-3% 0,191Ω wire 1,20mm=17AWG OD-39 / 30mm	£ 3.42	0.124
000-0868	0,290mH +/-3% 0,180Ω wire 1,20mm=17AWG OD-48 / 15mm	£ 3.27	0.117
000-1027	0,300mH +/-3% 0,210Ω wire 1,20mm=17AWG OD-39 / 30mm	£ 3.64	0.134
000-1335	0,300mH +/-3% 0,180Ω wire 1,20mm=17AWG OD-48 / 15mm	£ 3.29	0.118
000-0173	0,320mH +/-3% 0,210Ω wire 1,20mm=17AWG OD-39 / 30mm	£ 3.70	0.137
000-1173	0,330mH +/-3% 0,220Ω wire 1,20mm=17AWG OD-39 / 30mm	£ 3.77	0.140
000-1712	0,330mH +/-3% 0,194Ω wire 1,20mm=17AWG OD-48 / 15mm	£ 3.49	0.127
000-0869	0,340mH +/-3% 0,218Ω wire 1,20mm=17AWG OD-34 / 25mm	£ 3.99	0.136
000-1979	0,350mH +/-3% 0,230Ω wire 1,20mm=17AWG OD-40 / 30mm	£ 3.83	0.143
000-1729	0,360mH +/-3% 0,235Ω wire 1,20mm=17AWG OD-40 / 30mm	£ 3.88	0.145
000-1177	0,370mH +/-3% 0,240Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 3.92	0.147
000-1181	0,390mH +/-3% 0,240Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.10	0.155
000-1641	0,390mH +/-3% 0,205Ω wire 1,20mm=17AWG OD-50 / 15mm	£ 3.75	0.139
000-1512	0,400mH +/-3% 0,245Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.10	0.155
000-1515	0,400mH +/-3% 0,212Ω wire 1,20mm=17AWG OD-45 / 15mm	£ 3.79	0.141
000-1976	0,420mH +/-3% 0,250Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.14	0.157
000-1390	0,440mH +/-3% 0,260Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.18	0.159
000-1927	0,450mH +/-3% 0,260Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.20	0.160
000-1977	0,460mH +/-3% 0,260Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.24	0.162
000-0887	0,470mH +/-3% 0,250Ω wire 1,20mm=17AWG OD-50 / 15mm	£ 4.36	0.159
000-1198	0,470mH +/-3% 0,260Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.29	0.164
000-1760	0,470mH +/-3% 0,259Ω wire 1,20mm=17AWG OD-38 / 27mm	£ 4.36	0.167
000-1054	0,480mH +/-3% 0,260Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.37	0.168
000-0950	0,500mH +/-3% 0,260Ω wire 1,20mm=17AWG OD-40 / 25mm	£ 4.42	0.170

000-1205	0,500mH +/-3% 0,280Ω wire 1,20mm=17AWG OD-41 / 30mm	£ 4.46	0.172
000-1505	0,500mH +/-3% 0,248Ω wire 1,20mm=17AWG OD-48 / 15mm	£ 4.16	0.158
000-0924	0,520mH +/-3% 0,261Ω wire 1,20mm=17AWG OD-52 / 15mm	£ 4.42	0.162
000-0925	0,520mH +/-3% 0,26Ω wire 1,20mm=17AWG OD-41 / 25mm	£ 4.53	0.175
000-0995	0,530mH +/-3% 0,295Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 4.65	0.177
000-1509	0,550mH +/-3% 0,300Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 4.76	0.182
000-0888	0,560mH +/-3% 0,272Ω wire 1,20mm=17AWG OD-55 / 15mm	£ 4.64	0.172
000-1210	0,560mH +/-3% 0,300Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 4.76	0.182
000-1302	0,580mH +/-3% 0,310Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 4.87	0.187
000-0912	0,600mH +/-3% 0,279Ω wire 1,20mm=17AWG OD-56 / 15mm	£ 4.67	0.173
000-1511	0,600mH +/-3% 0,310Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 4.96	0.191
000-1761	0,600mH +/-3% 0,294Ω wire 1,20mm=17AWG OD-41 / 27mm	£ 4.92	0.193
000-0913	0,640mH +/-3% 0,286Ω wire 1,20mm=17AWG OD-56 / 15mm	£ 4.77	0.178
000-1791	0,650mH +/-3% 0,320Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 5.11	0.198
000-1305	0,680mH +/-3% 0,330Ω wire 1,20mm=17AWG OD-43 / 30mm	£ 5.22	0.203
000-1510	0,700mH +/-3% 0,340Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 5.37	0.210
000-1224	0,750mH +/-3% 0,350Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 5.58	0.215
000-1012	0,800mH +/-3% 0,360Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 5.80	0.225
000-0994	0,820mH +/-3% 0,330Ω wire 1,20mm=17AWG OD-58 / 15mm	£ 5.49	0.211
000-1882	0,820mH +/-3% 0,365Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 5.90	0.230
000-1784	0,850mH +/-3% 0,370Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 5.97	0.233
000-1918	0,870mH +/-3% 0,380Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 6.03	0.236
000-0845	0,880mH +/-3% 0,38Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 6.07	0.238
000-1413	0,900mH +/-3% 0,390Ω wire 1,20mm=17AWG OD-45 / 30mm	£ 6.12	0.240
000-0846	0,920mH +/-3% 0,39Ω wire 1,20mm=17AWG OD-48 / 30mm	£ 6.16	0.242
000-0944	0,950mH +/-3% 0,390Ω wire 1,20mm=17AWG OD-48 / 30mm	£ 6.25	0.246
000-1337	0,960mH +/-3% 0,370Ω wire 1,20mm=17AWG OD-60 / 15mm	£ 6.01	0.235
000-1094	1,000mH +/-3% 0,395Ω wire 1,20mm=17AWG OD-48 / 30mm	£ 6.47	0.256
000-1782	1,050mH +/-3% 0,397Ω wire 1,20mm=17AWG OD-49 / 30mm	£ 6.74	0.263
000-1924	1,100mH +/-3% 0,420Ω wire 1,20mm=17AWG OD-49 / 30mm	£ 6.85	0.268
000-1983	1,130mH +/-3% 0,430Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 6.94	0.272
000-1174	1,150mH +/-3% 0,445Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 7.02	0.276
000-1301	1,200mH +/-3% 0,460Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 7.18	0.283
000-0149	1,250mH +/-3% 0,42Ω wire 1,20mm=17AWG OD-51 / 30mm	£ 6.57	0.255
000-1376	1,280mH +/-3% 0,470Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 7.40	0.293
000-1083	1,300mH +/-3% 0,458Ω wire 1,20mm=17AWG OD-56 / 20mm	£ 7.15	0.282
000-1945	1,300mH +/-3% 0,470Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 7.55	0.300
000-1457	1,350mH +/-3% 0,490Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 7.70	0.307
000-1006	1,400mH +/-3% 0,500Ω wire 1,20mm=17AWG OD-50 / 30mm	£ 7.74	0.309
000-1140	1,450mH +/-3% 0,470Ω wire 1,20mm=17AWG OD-66 / 21mm	£ 7.55	0.300
000-1249	1,450mH +/-3% 0,510Ω wire 1,20mm=17AWG OD-51 / 30mm	£ 7.83	0.313
000-1300	1,500mH +/-3% 0,520Ω wire 1,20mm=17AWG OD-52 / 30mm	£ 7.98	0.320
000-1425	1,600mH +/-3% 0,530Ω wire 1,20mm=17AWG OD-54 / 30mm	£ 8.33	0.328
000-0957	1,640mH +/-3% 0,530Ω wire 1,20mm=17AWG OD-53 / 30mm	£ 8.48	0.335
000-1789	1,700mH +/-3% 0,544Ω wire 1,20mm=17AWG OD-54 / 30mm	£ 8.66	0.343
000-1424	1,750mH +/-3% 0,550Ω wire 1,20mm=17AWG OD-55 / 30mm	£ 8.76	0.348
000-1132	1,800mH +/-3% 0,570Ω wire 1,20mm=17AWG OD-55 / 30mm	£ 8.87	0.353
000-1946	2,000mH +/-3% 0,590Ω wire 1,20mm=17AWG OD-55 / 30mm	£ 10.00	0.377

000-1844	2,100mH +/-3% 0,600Ω wire 1,20mm=17AWG OD-55 / 30mm	£ 10.28	0.390
000-1299	2,200mH +/-3% 0,630Ω wire 1,20mm=17AWG OD-56 / 30mm	£ 10.59	0.404
000-1637	2,200mH +/-3% 0,700Ω wire 1,20mm=17AWG OD-45 / 62mm	£ 12.17	0.477
000-1730	2,250mH +/-3% 0,635Ω wire 1,20mm=17AWG OD-56 / 30mm	£ 10.63	0.402
000-1473	2,400mH +/-3% 0,660Ω wire 1,20mm=17AWG OD-56 / 30mm	£ 10.83	0.415
000-1673	2,500mH +/-3% 0,670Ω wire 1,20mm=17AWG OD-56 / 30mm	£ 11.19	0.432
000-1298	2,550mH +/-3% 0,680Ω wire 1,20mm=17AWG OD-58 / 30mm	£ 11.28	0.436
000-1889	2,600mH +/-3% 0,690Ω wire 1,20mm=17AWG OD-58 / 30mm	£ 11.37	0.440
000-1041	2,700mH +/-3% 0,700Ω wire 1,20mm=17AWG OD-58 / 30mm	£ 11.44	0.443
000-0938	2,800mH +/-3% 0,720Ω wire 1,20mm=17AWG OD-60 / 30mm	£ 11.70	0.455
000-0865	2,900mH +/-3% 0,680Ω wire 1,20mm=17AWG OD-59 / 30mm	£ 11.96	0.467
000-1560	3,000mH +/-3% 0,750Ω wire 1,20mm=17AWG OD-60 / 30mm	£ 12.02	0.470
000-1422	3,200mH +/-3% 0,780Ω wire 1,20mm=17AWG OD-60 / 30mm	£ 12.41	0.488
000-1025	3,300mH +/-3% 0,800Ω wire 1,20mm=17AWG OD-63 / 30mm	£ 12.78	0.496
000-1996	3,580mH +/-3% 0,820Ω wire 1,20mm=17AWG OD-63 / 30mm	£ 13.42	0.520
000-1713	3,900mH +/-3% 0,825Ω wire 1,20mm=17AWG OD-64 / 30mm	£ 14.34	0.556
000-0181	4,000mH +/-3% 0,83Ω wire 1,20mm=17AWG OD-65 / 30mm	£ 14.69	0.572
000-0923	4,500mH +/-3% 0,930Ω wire 1,20mm=17AWG OD-68 / 30mm	£ 15.71	0.604
000-1714	4,700mH +/-3% 0,970Ω wire 1,20mm=17AWG OD-68 / 30mm	£ 16.10	0.622
000-1501	5,000mH +/-3% 0,990Ω wire 1,20mm=17AWG OD-69 / 30mm	£ 16.49	0.640
000-0937	5,100mH +/-3% 1,010Ω wire 1,20mm=17AWG OD-70 / 30mm	£ 16.82	0.655
000-1500	5,600mH +/-3% 1,170Ω wire 1,20mm=17AWG OD-60 / 60mm	£ 20.50	0.777
000-1225	6,000mH +/-3% 1,220Ω wire 1,20mm=17AWG OD-61 / 60mm	£ 21.26	0.812
000-1499	6,200mH +/-3% 1,250Ω wire 1,20mm=17AWG OD-62 / 60mm	£ 21.43	0.820
000-1498	6,800mH +/-3% 1,300Ω wire 1,20mm=17AWG OD-62 / 60mm	£ 22.52	0.870
000-1497	7,000mH +/-3% 1,330Ω wire 1,20mm=17AWG OD-64 / 60mm	£ 22.76	0.885
000-1502	8,000mH +/-3% 1,420Ω wire 1,20mm=17AWG OD-64 / 60mm	£ 23.80	0.942
000-1442	9,000mH +/-3% 1,530Ω wire 1,20mm=17AWG OD-66 / 60mm	£ 25.38	0.995
000-1681	10,000mH +/-3% 1,660Ω wire 1,20mm=17AWG OD-67 / 60mm	£ 27.41	1.095
000-1418	11,000mH +/-3% 1,720Ω wire 1,20mm=17AWG OD-68 / 60mm	£ 26.86	1.070
000-1715	12,000mH +/-3% 1,910Ω wire 1,20mm=17AWG OD-69 / 60mm	£ 28.42	1.100
000-1719	14,000mH +/-3% 2,080Ω wire 1,20mm=17AWG OD-70 / 60mm	£ 30.71	1.176
000-1720	14,500mH +/-3% 2,150Ω wire 1,20mm=17AWG OD-71 / 60mm	£ 31.32	1.204
000-1716	15,000mH +/-3% 2,180Ω wire 1,20mm=17AWG OD-72 / 60mm	£ 32.17	1.224
000-1721	16,000mH +/-3% 2,220Ω wire 1,20mm=17AWG OD-73 / 60mm	£ 33.94	1.259
000-1722	17,000mH +/-3% 2,310Ω wire 1,20mm=17AWG OD-75 / 60mm	£ 35.50	1.301
000-1717	18,000mH +/-3% 2,400Ω wire 1,20mm=17AWG OD-75 / 60mm	£ 36.37	1.341
000-1723	19,000mH +/-3% 2,470Ω wire 1,20mm=17AWG OD-77 / 60mm	£ 37.33	1.385
000-1718	20,000mH +/-3% 2,550Ω wire 1,20mm=17AWG OD-77 / 60mm	£ 38.22	1.426
000-1724	21,000mH +/-3% 2,620Ω wire 1,20mm=17AWG OD-79 / 60mm	£ 40.09	1.475
000-1725	22,000mH +/-3% 2,680Ω wire 1,20mm=17AWG OD-79 / 60mm	£ 40.89	1.512
000-1726	23,000mH +/-3% 2,730Ω wire 1,20mm=17AWG OD-79 / 60mm	£ 42.66	1.547
000-1727	24,000mH +/-3% 2,790Ω wire 1,20mm=17AWG OD-79 / 60mm	£ 43.57	1.589
000-1633	0,010mH +/-1% 0,025Ω wire 1,40mm=15AWG OD-17 / 25mm	£ 2.20	0.032
000-1251	0,012mH +/-1% 0,025Ω wire 1,40mm=15AWG OD-17 / 25mm	£ 2.50	0.032
000-0190	0,025mH +/-1% 0,040Ω wire 1,40mm=15AWG OD-38 / 15mm	£ 2.59	0.050
000-1902	0,040mH +/-1% 0,040Ω wire 1,40mm=15AWG OD-38 / 15mm	£ 2.69	0.055

000-0191	0,050mH +/-1% 0,05Ω wire 1,40mm=15AWG OD-40 / 15mm	£ 2.80	0.060
000-1534	0,080mH +/-1% 0,060Ω wire 1,40mm=15AWG OD-39 / 20mm	£ 3.26	0.084
000-1535	0,100mH +/-3% 0,075Ω wire 1,40mm=15AWG OD-43 / 15mm	£ 2.82	0.089
000-1543	0,120mH +/-3% 0,086Ω wire 1,40mm=15AWG OD-43 / 15mm	£ 2.95	0.095
000-1485	0,150mH +/-3% 0,099Ω wire 1,40mm=15AWG OD-45 / 15mm	£ 3.23	0.108
000-1688	0,150mH +/-3% 0,105Ω wire 1,40mm=15AWG OD-38 / 30mm	£ 3.61	0.126
000-1049	0,170mH +/-3% 0,111Ω wire 1,40mm=15AWG OD-38 / 30mm	£ 3.72	0.131
000-0164	0,174mH +/-3% 0,099Ω wire 1,40mm=15AWG OD-45 / 15mm	£ 3.57	0.124
000-1273	0,180mH +/-3% 0,105Ω wire 1,40mm=15AWG OD-56 / 10mm	£ 3.55	0.123
000-0163	0,185mH +/-3% 0,11Ω wire 1,40mm=15AWG OD-50 / 15mm	£ 3.65	0.128
000-1507	0,200mH +/-3% 0,130Ω wire 1,40mm=15AWG OD-41 / 30mm	£ 4.08	0.148
000-1606	0,200mH +/-3% 0,115Ω wire 1,40mm=15AWG OD-48 / 15mm	£ 3.80	0.135
000-1612	0,200mH +/-3% 0,110Ω wire 1,40mm=15AWG OD-56 / 10mm	£ 3.74	0.132
000-1268	0,220mH +/-3% 0,120Ω wire 1,40mm=15AWG OD-50 / 15mm	£ 3.89	0.139
000-1631	0,220mH +/-3% 0,140Ω wire 1,40mm=15AWG OD-41 / 30mm	£ 4.23	0.155
000-0905	0,240mH +/-3% 0,125Ω wire 1,40mm=15AWG OD-52 / 15mm	£ 4.04	0.146
000-1155	0,250mH +/-3% 0,140Ω wire 1,40mm=15AWG OD-41 / 30mm	£ 4.45	0.165
000-1269	0,250mH +/-3% 0,128Ω wire 1,40mm=15AWG OD-52 / 15mm	£ 4.13	0.150
000-0904	0,260mH +/-3% 0,132Ω wire 1,40mm=15AWG OD-52 / 15mm	£ 4.40	0.157
000-1414	0,260mH +/-3% 0,140Ω wire 1,40mm=15AWG OD-41 / 30mm	£ 4.66	0.169
000-0889	0,270mH +/-1% 0,150Ω wire 1,40mm=15AWG OD-40 / 25mm	£ 4.73	0.172
000-1275	0,270mH +/-3% 0,134Ω wire 1,40mm=15AWG OD-52 / 15mm	£ 4.44	0.159
000-1769	0,270mH +/-3% 0,152Ω wire 1,40mm=15AWG OD-41 / 30mm	£ 4.68	0.170
000-0903	0,280mH +/-3% 0,140Ω wire 1,40mm=15AWG OD-53 / 15mm	£ 4.51	0.162
000-1163	0,300mH +/-3% 0,157Ω wire 1,40mm=15AWG OD-43 / 30mm	£ 4.96	0.183
000-1272	0,300mH +/-3% 0,144Ω wire 1,40mm=15AWG OD-53 / 15mm	£ 4.70	0.171
000-1483	0,300mH +/-1% 0,160Ω wire 1,40mm=15AWG OD-40 / 25mm	£ 5.05	0.187
000-1629	0,310mH +/-3% 0,160Ω wire 1,40mm=15AWG OD-43 / 30mm	£ 5.00	0.185
000-1172	0,320mH +/-3% 0,164Ω wire 1,40mm=15AWG OD-43 / 30mm	£ 5.04	0.187
000-0890	0,330mH +/-3% 0,170Ω wire 1,40mm=15AWG OD-40 / 25mm	£ 5.09	0.189
000-1071	0,330mH +/-3% 0,153Ω wire 1,40mm=15AWG OD-53 / 15mm	£ 4.87	0.179
000-1310	0,330mH +/-3% 0,160Ω wire 1,40mm=15AWG OD-44 / 30mm	£ 5.17	0.193
000-1417	0,350mH +/-3% 0,167Ω wire 1,40mm=15AWG OD-44 / 30mm	£ 5.34	0.201
000-1415	0,360mH +/-3% 0,170Ω wire 1,40mm=15AWG OD-44 / 30mm	£ 5.39	0.203
000-1116	0,370mH +/-3% 0,170Ω wire 1,40mm=15AWG OD-44 / 30mm	£ 5.45	0.206
000-1274	0,390mH +/-3% 0,167Ω wire 1,40mm=15AWG OD-56 / 15mm	£ 5.31	0.199
000-1895	0,390mH +/-3% 0,170Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.56	0.211
000-1186	0,400mH +/-3% 0,180Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.71	0.218
000-1243	0,400mH +/-3% 0,167Ω wire 1,40mm=15AWG OD-56 / 15mm	£ 5.34	0.201
000-1548	0,400mH +/-3% 0,183Ω wire 1,40mm=15AWG OD-43 / 25mm	£ 5.70	0.217
000-0187	0,410mH +/-3% 0,18Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.75	0.220
000-1189	0,420mH +/-3% 0,190Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.75	0.220
000-0199	0,430mH +/-3% 0,190Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.84	0.223
000-0198	0,440mH +/-3% 0,190Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.86	0.225
000-1655	0,450mH +/-3% 0,190Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 5.88	0.226
000-1242	0,470mH +/-3% 0,190Ω wire 1,40mm=15AWG OD-59 / 15mm	£ 5.71	0.218
000-1518	0,470mH +/-3% 0,200Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 6.01	0.232
000-0209	0,480mH +/-3% 0,200Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 6.03	0.232

000-0194	0,490mH +/-3% 0,201Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 6.10	0.236
000-1267	0,500mH +/-3% 0,203Ω wire 1,40mm=15AWG OD-48 / 30mm	£ 6.14	0.238
000-0195	0,510mH +/-3% 0,204Ω wire 1,40mm=15AWG OD-46 / 30mm	£ 6.20	0.241
000-1479	0,520mH +/-3% 0,210Ω wire 1,40mm=15AWG OD-48 / 30mm	£ 6.29	0.245
000-0210	0,530mH +/-3% 0,210Ω wire 1,40mm=15AWG OD-48 / 30mm	£ 6.31	0.245
000-0178	0,540mH +/-3% 0,21Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 6.55	0.257
000-1036	0,550mH +/-3% 0,220Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 6.57	0.253
000-1896	0,560mH +/-3% 0,220Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 6.57	0.258
000-1444	0,600mH +/-3% 0,230Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 6.78	0.268
000-0165	0,630mH +/-3% 0,23Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 7.11	0.275
000-1731	0,640mH +/-3% 0,240Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 7.13	0.276
000-1416	0,650mH +/-3% 0,240Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 7.17	0.278
000-0916	0,665mH +/-1% 0,245Ω wire 1,40mm=15AWG OD-50 / 30mm	£ 8.49	0.283
000-0982	0,670mH +/-3% 0,24Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 7.33	0.285
000-1854	0,680mH +/-3% 0,240Ω wire 1,40mm=15AWG OD-49 / 30mm	£ 7.38	0.288
000-1615	0,700mH +/-3% 0,245Ω wire 1,40mm=15AWG OD-50 / 30mm	£ 7.47	0.292
000-0940	0,720mH +/-3% 0,25Ω wire 1,40mm=15AWG OD-50 / 30mm	£ 7.71	0.303
000-1857	0,750mH +/-3% 0,260Ω wire 1,40mm=15AWG OD-51 / 30mm	£ 7.75	0.305
000-0955	0,770mH +/-3% 0,264Ω wire 1,40mm=15AWG OD-51 / 30mm	£ 7.86	0.310
000-0953	0,780mH +/-3% 0,27Ω wire 1,40mm=15AWG OD-51 / 30mm	£ 7.97	0.315
000-1244	0,800mH +/-3% 0,270Ω wire 1,40mm=15AWG OD-52 / 30mm	£ 8.05	0.319
000-1897	0,820mH +/-3% 0,270Ω wire 1,40mm=15AWG OD-52 / 30mm	£ 8.05	0.319
000-1565	0,830mH +/-3% 0,270Ω wire 1,40mm=15AWG OD-52 / 30mm	£ 8.07	0.320
000-1445	0,850mH +/-3% 0,280Ω wire 1,40mm=15AWG OD-52 / 30mm	£ 8.14	0.323
000-1657	0,900mH +/-3% 0,290Ω wire 1,40mm=15AWG OD-54 / 30mm	£ 8.69	0.337
000-1862	0,910mH +/-3% 0,290Ω wire 1,40mm=15AWG OD-54 / 30mm	£ 8.73	0.339
000-1081	0,930mH +/-3% 0,300Ω wire 1,40mm=15AWG OD-54 / 30mm	£ 8.84	0.344
000-1077	0,950mH +/-3% 0,300Ω wire 1,40mm=15AWG OD-54 / 30mm	£ 8.90	0.347
000-1096	1,000mH +/-3% 0,285Ω wire 1,40mm=15AWG OD-71 / 21mm	£ 9.89	0.348
000-1898	1,000mH +/-3% 0,300Ω wire 1,40mm=15AWG OD-54 / 30mm	£ 9.29	0.365
000-1047	1,040mH +/-3% 0,290Ω wire 1,40mm=15AWG OD-71 / 21mm	£ 10.04	0.355
000-1931	1,100mH +/-3% 0,310Ω wire 1,40mm=15AWG OD-72 / 21mm	£ 10.15	0.360
000-1984	1,130mH +/-3% 0,320Ω wire 1,40mm=15AWG OD-56 / 30mm	£ 9.97	0.380
000-1256	1,150mH +/-3% 0,322Ω wire 1,40mm=15AWG OD-56 / 30mm	£ 10.08	0.385
000-0896	1,200mH +/-3% 0,340Ω wire 1,40mm=15AWG OD-51 / 33mm	£ 10.64	0.411
000-1336	1,200mH +/-3% 0,330Ω wire 1,40mm=15AWG OD-73 / 21mm	£ 10.71	0.386
000-1899	1,200mH +/-3% 0,330Ω wire 1,40mm=15AWG OD-57 / 30mm	£ 10.31	0.396
000-1656	1,250mH +/-3% 0,340Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 10.55	0.407
000-0886	1,300mH +/-3% 0,340Ω wire 1,40mm=15AWG OD-65 / 20mm	£ 10.70	0.405
000-1540	1,300mH +/-3% 0,356Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 10.96	0.417
000-1658	1,330mH +/-3% 0,358Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 11.14	0.425
000-1660	1,330mH +/-3% 0,335Ω wire 1,40mm=15AWG OD-67 / 22mm	£ 11.09	0.404
000-1142	1,350mH +/-3% 0,350Ω wire 1,40mm=15AWG OD-75 / 21mm	£ 11.11	0.405
000-1470	1,400mH +/-3% 0,370Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 11.39	0.437
000-1341	1,450mH +/-3% 0,370Ω wire 1,40mm=15AWG OD-75 / 21mm	£ 11.35	0.416
000-1095	1,500mH +/-3% 0,370Ω wire 1,40mm=15AWG OD-75 / 21mm	£ 11.82	0.438
000-1469	1,500mH +/-3% 0,380Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 11.81	0.451
000-0942	1,520mH +/-3% 0,390Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 12.25	0.458

000-1156	1,600mH +/-3% 0,400Ω wire 1,40mm=15AWG OD-59 / 30mm	£ 12.47	0.468
000-1788	1,650mH +/-3% 0,410Ω wire 1,40mm=15AWG OD-61 / 30mm	£ 12.64	0.476
000-1339	1,700mH +/-3% 0,400Ω wire 1,40mm=15AWG OD-76 / 21mm	£ 12.58	0.473
000-1487	1,700mH +/-3% 0,42Ω wire 1,40mm=15AWG OD-61 / 30mm	£ 12.83	0.485
000-0891	1,800mH +/-3% 0,460Ω wire 1,40mm=15AWG OD-49 / 50mm	£ 14.31	0.554
000-0935	1,800mH +/-3% 0,444Ω wire 1,40mm=15AWG OD-56 / 42mm	£ 14.04	0.541
000-1484	1,800mH +/-3% 0,420Ω wire 1,40mm=15AWG OD-61 / 30mm	£ 13.14	0.499
000-0160	1,850mH +/-3% 0,45Ω wire 1,40mm=15AWG OD-57 / 42mm	£ 14.08	0.543
000-1097	2,000mH +/-3% 0,460Ω wire 1,40mm=15AWG OD-78 / 31mm	£ 15.28	0.543
000-1166	2,000mH +/-3% 0,500Ω wire 1,40mm=15AWG OD-56 / 60mm	£ 16.78	0.613
000-1245	2,000mH +/-3% 0,444Ω wire 1,40mm=15AWG OD-64 / 30mm	£ 13.89	0.534
000-1254	2,000mH +/-3% 0,440Ω wire 1,40mm=15AWG OD-79 / 21mm	£ 14.46	0.505
000-1338	2,100mH +/-3% 0,460Ω wire 1,40mm=15AWG OD-80 / 21mm	£ 14.77	0.519
000-1246	2,200mH +/-3% 0,473Ω wire 1,40mm=15AWG OD-64 / 30mm	£ 15.82	0.568
000-1314	2,200mH +/-3% 0,490Ω wire 1,40mm=15AWG OD-80 / 31mm	£ 15.77	0.566
000-1495	2,200mH +/-3% 0,520Ω wire 1,40mm=15AWG OD-59 / 60mm	£ 17.60	0.651
000-1638	2,200mH +/-3% 0,485Ω wire 1,40mm=15AWG OD-65 / 33mm	£ 15.84	0.569
000-1783	2,400mH +/-3% 0,512Ω wire 1,40mm=15AWG OD-80 / 31mm	£ 16.03	0.578
000-1098	2,500mH +/-3% 0,520Ω wire 1,40mm=15AWG OD-81 / 31mm	£ 16.80	0.614
000-0946	2,530mH +/-3% 0,490Ω wire 1,40mm=15AWG OD-77 / 20mm	£ 16.49	0.599
000-1247	2,700mH +/-3% 0,525Ω wire 1,40mm=15AWG OD-69 / 30mm	£ 17.17	0.631
000-1802	2,700mH +/-3% 0,590Ω wire 1,40mm=15AWG OD-61 / 60mm	£ 18.89	0.711
000-1595	2,800mH +/-3% 0,600Ω wire 1,40mm=15AWG OD-61 / 60mm	£ 19.21	0.726
000-0900	2,900mH +/-3% 0,630Ω wire 1,40mm=15AWG OD-61 / 60mm	£ 19.51	0.740
000-0947	3,000mH +/-3% 0,540Ω wire 1,40mm=15AWG OD-77 / 20mm	£ 18.50	0.693
000-1894	3,000mH +/-3% 0,640Ω wire 1,40mm=15AWG OD-61 / 60mm	£ 19.90	0.758
000-1672	3,200mH +/-3% 0,650Ω wire 1,40mm=15AWG OD-61 / 60mm	£ 20.71	0.796
000-1199	3,300mH +/-3% 0,615Ω wire 1,40mm=15AWG OD-72 / 30mm	£ 17.54	0.648
000-1494	3,300mH +/-3% 0,660Ω wire 1,40mm=15AWG OD-61 / 60mm	£ 21.17	0.817
000-1493	3,500mH +/-3% 0,690Ω wire 1,40mm=15AWG OD-64 / 60mm	£ 21.18	0.818
000-1241	3,900mH +/-3% 0,660Ω wire 1,40mm=15AWG OD-74 / 30mm	£ 21.49	0.790
000-1944	3,900mH +/-3% 0,700Ω wire 1,40mm=15AWG OD-64 / 60mm	£ 23.23	0.871
000-1099	4,000mH +/-3% 0,720Ω wire 1,40mm=15AWG OD-66 / 60mm	£ 23.66	0.891
000-1639	4,100mH +/-3% 0,660Ω wire 1,40mm=15AWG OD-73 / 33mm	£ 21.70	0.800
000-0143	4,400mH +/-3% 0,780Ω wire 1,40mm=15AWG OD-59 / 62mm	£ 25.35	0.970
000-1468	4,500mH +/-3% 0,800Ω wire 1,40mm=15AWG OD-58 / 62mm	£ 25.57	0.980
000-1187	4,700mH +/-3% 0,760Ω wire 1,40mm=15AWG OD-76 / 30mm	£ 23.21	0.870
000-1519	4,700mH +/-3% 0,820Ω wire 1,40mm=15AWG OD-60 / 62mm	£ 26.00	1.000
000-1587	4,700mH +/-3% 0,800Ω wire 1,40mm=15AWG OD-66 / 60mm	£ 25.48	0.976
000-1486	4,800mH +/-3% 0,830Ω wire 1,40mm=15AWG OD-60 / 62mm	£ 26.56	1.026
000-1614	5,000mH +/-3% 0,830Ω wire 1,40mm=15AWG OD-66 / 60mm	£ 26.19	1.009
000-1546	5,600mH +/-3% 0,870Ω wire 1,40mm=15AWG OD-69 / 60mm	£ 27.61	1.075
000-0161	5,780mH +/-3% 0,90Ω wire 1,40mm=15AWG OD-69 / 60mm	£ 27.95	1.091
000-1167	6,000mH +/-3% 0,910Ω wire 1,40mm=15AWG OD-71 / 60mm	£ 30.34	1.202
000-0893	6,200mH +/-3% 0,930Ω wire 1,40mm=15AWG OD-71 / 60mm	£ 30.40	1.205
000-1630	6,400mH +/-3% 0,950Ω wire 1,40mm=15AWG OD-71 / 60mm	£ 30.62	1.215
000-1547	6,800mH +/-3% 0,960Ω wire 1,40mm=15AWG OD-71 / 60mm	£ 30.68	1.218
000-1506	7,000mH +/-3% 0,980Ω wire 1,40mm=15AWG OD-74 / 60mm	£ 31.11	1.238



000-1427	8,000mH +/-3% 1,240Ω wire 1,40mm=15AWG OD-61 / 75mm	£ 35.79	1.456
000-1613	8,000mH +/-3% 1,080Ω wire 1,40mm=15AWG OD-74 / 60mm	£ 32.44	1.300
000-1602	8,200mH +/-3% 1,100Ω wire 1,40mm=15AWG OD-74 / 60mm	£ 33.04	1.328
000-0909	9,000mH +/-3% 1,180Ω wire 1,40mm=15AWG OD-74 / 60mm	£ 34.48	1.365
000-1601	10,000mH +/-3% 1,200Ω wire 1,40mm=15AWG OD-76 / 60mm	£ 37.14	1.489
000-0211	12,000mH +/-3% 1,32Ω wire 1,40mm=15AWG OD-79 / 60mm	£ 41.42	1.648
000-0051	0,008mH +/-1% 0,016Ω wire 1,60mm=14AWG OD-18 / 25mm	£ 2.52	0.033
000-0045	0,010mH +/-1% 0,020Ω wire 1,60mm=14AWG OD-21 / 25mm	£ 2.31	0.037
000-0176	0,020mH +/-1% 0,028Ω wire 1,60mm=14AWG OD-24 / 25mm	£ 2.74	0.057
000-0060	0,030mH +/-1% 0,040Ω wire 1,60mm=14AWG OD-30 / 25mm	£ 3.38	0.087
000-0001	0,050mH +/-1% 0,046Ω wire 1,60mm=14AWG OD-30 / 25mm	£ 3.51	0.096
000-0980	0,057mH +/-1% 0,77Ω wire 0,30mm=29AWG OD-17 / 8mm	£ 1.53	0.003
000-0002	0,100mH +/-3% 0,067Ω wire 1,60mm=14AWG OD-35 / 25mm	£ 4.03	0.140
000-0003	0,120mH +/-3% 0,074Ω wire 1,60mm=14AWG OD-35 / 25mm	£ 4.26	0.150
000-0004	0,150mH +/-3% 0,084Ω wire 1,60mm=14AWG OD-38 / 25mm	£ 4.60	0.166
000-0005	0,180mH +/-3% 0,094Ω wire 1,60mm=14AWG OD-42 / 25mm	£ 5.05	0.187
000-0057	0,200mH +/-3% 0,10Ω wire 1,60mm=14AWG OD-42 / 25mm	£ 5.43	0.205
000-0006	0,220mH +/-3% 0,104Ω wire 1,60mm=14AWG OD-42 / 25mm	£ 5.74	0.219
000-0007	0,270mH +/-3% 0,120Ω wire 1,60mm=14AWG OD-44 / 25mm	£ 6.23	0.242
000-0008	0,330mH +/-3% 0,129Ω wire 1,60mm=14AWG OD-46 / 25mm	£ 6.79	0.268
000-0054	0,360mH +/-3% 0,137Ω wire 1,60mm=14AWG OD-49 / 25mm	£ 7.09	0.282
000-0009	0,390mH +/-3% 0,140Ω wire 1,60mm=14AWG OD-50 / 25mm	£ 7.37	0.295
000-0050	0,400mH +/-3% 0,140Ω wire 1,60mm=14AWG OD-50 / 25mm	£ 7.47	0.300
000-0053	0,450mH +/-3% 0,160Ω wire 1,60mm=14AWG OD-51 / 30mm	£ 7.91	0.315
000-0010	0,470mH +/-3% 0,164Ω wire 1,60mm=14AWG OD-52 / 30mm	£ 8.12	0.322
000-0981	0,500mH +/-3% 0,160Ω wire 1,60mm=14AWG OD-53 / 30mm	£ 8.31	0.331
000-0011	0,560mH +/-3% 0,180Ω wire 1,60mm=14AWG OD-52 / 30mm	£ 8.85	0.356
000-0052	0,600mH +/-3% 0,184Ω wire 1,60mm=14AWG OD-54 / 30mm	£ 8.76	0.352
000-0012	0,620mH +/-3% 0,189Ω wire 1,60mm=14AWG OD-54 / 30mm	£ 8.89	0.358
000-0013	0,680mH +/-3% 0,200Ω wire 1,60mm=14AWG OD-54 / 30mm	£ 9.64	0.393
000-0061	0,750mH +/-3% 0,205Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 10.36	0.415
000-0056	0,770mH +/-3% 0,21Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 10.47	0.420
000-0044	0,800mH +/-3% 0,209Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 10.60	0.426
000-0014	0,820mH +/-3% 0,215Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 10.92	0.441
000-0015	0,850mH +/-3% 0,220Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 11.03	0.446
000-0170	0,870mH +/-3% 0,22Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 11.11	0.450
000-0016	0,900mH +/-3% 0,228Ω wire 1,60mm=14AWG OD-58 / 30mm	£ 11.73	0.462
000-0017	0,950mH +/-3% 0,236Ω wire 1,60mm=14AWG OD-61 / 30mm	£ 12.07	0.478
000-0018	1,000mH +/-3% 0,245Ω wire 1,60mm=14AWG OD-61 / 30mm	£ 12.63	0.504
000-0058	1,060mH +/-3% 0,25Ω wire 1,60mm=14AWG OD-63 / 30mm	£ 13.17	0.520
000-0055	1,070mH +/-3% 0,251Ω wire 1,60mm=14AWG OD-63 / 30mm	£ 13.17	0.520
000-0019	1,100mH +/-3% 0,258Ω wire 1,60mm=14AWG OD-63 / 30mm	£ 13.24	0.523
000-0020	1,200mH +/-3% 0,270Ω wire 1,60mm=14AWG OD-63 / 30mm	£ 13.86	0.552
000-0984	1,200mH +/-3% 0,28Ω wire 1,60mm=14AWG OD-66 / 25mm	£ 14.00	0.568
000-0021	1,300mH +/-3% 0,283Ω wire 1,60mm=14AWG OD-63 / 30mm	£ 14.48	0.575
000-0022	1,400mH +/-3% 0,294Ω wire 1,60mm=14AWG OD-66 / 30mm	£ 15.19	0.608
000-0169	1,420mH +/-3% 0,30Ω wire 1,60mm=14AWG OD-66 / 30mm	£ 15.24	0.610

000-0023	1,500mH +/-3% 0,305Ω wire 1,60mm=14AWG OD-66 / 30mm	£ 15.90	0.628
000-0024	1,600mH +/-3% 0,320Ω wire 1,60mm=14AWG OD-66 / 30mm	£ 17.58	0.650
000-0025	1,700mH +/-3% 0,332Ω wire 1,60mm=14AWG OD-69 / 30mm	£ 18.01	0.670
000-0026	1,800mH +/-3% 0,345Ω wire 1,60mm=14AWG OD-69 / 30mm	£ 18.55	0.695
000-0027	2,000mH +/-3% 0,363Ω wire 1,60mm=14AWG OD-72 / 30mm	£ 19.58	0.743
000-0028	2,200mH +/-3% 0,385Ω wire 1,60mm=14AWG OD-72 / 30mm	£ 22.16	0.791
000-0985	2,200mH +/-3% 0,39Ω wire 1,60mm=14AWG OD-78 / 25mm	£ 19.81	0.810
000-0029	2,400mH +/-3% 0,405Ω wire 1,60mm=14AWG OD-75 / 30mm	£ 23.00	0.830
000-0030	2,500mH +/-3% 0,410Ω wire 1,60mm=14AWG OD-75 / 30mm	£ 23.55	0.856
000-0031	2,600mH +/-3% 0,422Ω wire 1,60mm=14AWG OD-75 / 30mm	£ 23.75	0.865
000-0032	2,700mH +/-3% 0,437Ω wire 1,60mm=14AWG OD-75 / 30mm	£ 24.28	0.890
000-0049	2,800mH +/-3% 0,443Ω wire 1,60mm=14AWG OD-78 / 30mm	£ 24.93	0.920
000-0062	2,900mH +/-3% 0,450Ω wire 1,60mm=14AWG OD-78 / 30mm	£ 25.14	0.930
000-0033	3,000mH +/-3% 0,46Ω wire 1,60mm=14AWG OD-78 / 30mm	£ 25.42	0.943
000-0833	3,100mH +/-3% 0,46Ω wire 1,60mm=14AWG OD-82 / 30mm	£ 25.74	0.958
000-0034	3,300mH +/-3% 0,482Ω wire 1,60mm=14AWG OD-81 / 30mm	£ 26.64	1.000
000-0035	3,400mH +/-3% 0,488Ω wire 1,60mm=14AWG OD-81 / 30mm	£ 27.35	1.033
000-0154	3,450mH +/-3% 0,49Ω wire 1,60mm=14AWG OD-82 / 30mm	£ 27.44	1.037
000-0153	3,500mH +/-3% 0,55Ω wire 1,60mm=14AWG OD-82 / 30mm	£ 27.39	1.035
000-0046	3,600mH +/-3% 0,583Ω wire 1,60mm=14AWG OD-70 / 60mm	£ 30.01	1.157
000-0036	3,900mH +/-3% 0,593Ω wire 1,60mm=14AWG OD-70 / 60mm	£ 31.17	1.211
000-0047	4,000mH +/-3% 0,603Ω wire 1,60mm=14AWG OD-70 / 60mm	£ 31.58	1.230
000-0037	4,700mH +/-3% 0,650Ω wire 1,60mm=14AWG OD-73 / 60mm	£ 33.82	1.334
000-0861	5,500mH +/-3% 0,69Ω wire 1,60mm=14AWG OD-76 / 60mm	£ 36.57	1.462
000-0038	5,600mH +/-3% 0,700Ω wire 1,60mm=14AWG OD-76 / 60mm	£ 36.65	1.466
000-0811	6,000mH +/-3% 0,68Ω wire 1,60mm=14AWG OD-95 / 30mm	£ 36.06	1.398
000-0992	6,000mH +/-3% 0,730Ω wire 1,60mm=14AWG OD-76 / 60mm	£ 38.45	1.550
000-0983	6,150mH +/-3% 0,75Ω wire 1,60mm=14AWG OD-78 / 60mm	£ 38.35	1.545
000-0039	6,200mH +/-3% 0,750Ω wire 1,60mm=14AWG OD-76 / 60mm	£ 38.79	1.566
000-0993	6,600mH +/-3% 0,780Ω wire 1,60mm=14AWG OD-79 / 60mm	£ 39.53	1.600
000-0040	6,800mH +/-3% 0,790Ω wire 1,60mm=14AWG OD-79 / 60mm	£ 40.38	1.640
000-0041	7,500mH +/-3% 0,830Ω wire 1,60mm=14AWG OD-79 / 60mm	£ 43.60	1.749
000-0048	8,000mH +/-3% 0,870Ω wire 1,60mm=14AWG OD-82 / 60mm	£ 45.25	1.826
000-0042	8,200mH +/-3% 0,870Ω wire 1,60mm=14AWG OD-82 / 60mm	£ 45.80	1.852
000-0043	9,100mH +/-3% 0,920Ω wire 1,60mm=14AWG OD-82 / 60mm	£ 47.93	1.951
000-0196	14,800mH +/-3% 1,250Ω wire 1,60mm=14AWG OD-90 / 62mm	£ 63.81	2.550
000-0963	15,000mH +/-3% 1,250Ω wire 1,60mm=14AWG OD-91 / 62mm	£ 64.02	2.560
000-0849	0,010mH +/-1% 0,06Ω wire 1,80mm=13AWG OD-23 / 20mm	£ 2.57	0.047
000-0101	0,050mH +/-1% 0,038Ω wire 1,80mm=13AWG OD-32 / 25mm	£ 4.16	0.121
000-0102	0,100mH +/-3% 0,055Ω wire 1,80mm=13AWG OD-39 / 25mm	£ 5.40	0.177
000-0103	0,120mH +/-3% 0,060Ω wire 1,80mm=13AWG OD-39 / 25mm	£ 5.81	0.195
000-0104	0,150mH +/-3% 0,070Ω wire 1,80mm=13AWG OD-42 / 25mm	£ 6.39	0.221
000-0105	0,180mH +/-3% 0,075Ω wire 1,80mm=13AWG OD-49 / 30mm	£ 6.85	0.239
000-0139	0,200mH +/-3% 0,080Ω wire 1,80mm=13AWG OD-46 / 25mm	£ 7.37	0.265
000-0100	0,210mH +/-3% 0,080Ω wire 1,80mm=13AWG OD-49 / 30mm	£ 7.48	0.263
000-0106	0,220mH +/-3% 0,083Ω wire 1,80mm=13AWG OD-49 / 30mm	£ 7.43	0.265
000-0907	0,260mH +/-3% 0,091Ω wire 1,80mm=13AWG OD-50 / 25mm	£ 8.20	0.302

000-0107	0,270mH +/-3% 0,095Ω wire 1,80mm=13AWG OD-52 / 30mm	£ 8.28	0.303
000-0954	0,300mH +/-3% 0,100Ω wire 1,80mm=13AWG OD-52 / 30mm	£ 8.78	0.325
000-0166	0,320mH +/-3% 0,10Ω wire 1,80mm=13AWG OD-52 / 30mm	£ 9.11	0.340
000-0108	0,330mH +/-3% 0,105Ω wire 1,80mm=13AWG OD-52 / 30mm	£ 9.13	0.336
000-0859	0,340mH +/-3% 0,10Ω wire 1,80mm=13AWG OD-52 / 30mm	£ 9.18	0.343
000-0860	0,350mH +/-3% 0,11Ω wire 1,80mm=13AWG OD-55 / 30mm	£ 9.35	0.351
000-0140	0,370mH +/-3% 0,110Ω wire 1,80mm=13AWG OD-56 / 30mm	£ 9.56	0.360
000-0862	0,380mH +/-3% 0,11Ω wire 1,80mm=13AWG OD-56 / 30mm	£ 9.71	0.367
000-0109	0,390mH +/-3% 0,11Ω wire 1,80mm=13AWG OD-55 / 30mm	£ 9.93	0.374
000-0829	0,400mH +/-3% 0,11Ω wire 1,80mm=13AWG OD-56 / 30mm	£ 10.05	0.382
000-0847	0,410mH +/-3% 0,12Ω wire 1,80mm=13AWG OD-56 / 30mm	£ 10.07	0.383
000-0188	0,420mH +/-3% 0,12Ω wire 1,80mm=13AWG OD-56 / 30mm	£ 10.14	0.386
000-0110	0,470mH +/-3% 0,130Ω wire 1,80mm=13AWG OD-59 / 30mm	£ 10.65	0.409
000-0175	0,490mH +/-3% 0,13Ω wire 1,80mm=13AWG OD-59 / 30mm	£ 11.19	0.433
000-0174	0,510mH +/-3% 0,132Ω wire 1,80mm=13AWG OD-59 / 30mm	£ 11.37	0.441
000-0099	0,530mH +/-3% 0,135Ω wire 1,80mm=13AWG OD-59 / 30mm	£ 11.76	0.459
000-0180	0,540mH +/-3% 0,14Ω wire 1,80mm=13AWG OD-59 / 30mm	£ 11.90	0.465
000-0111	0,560mH +/-3% 0,140Ω wire 1,80mm=13AWG OD-59 / 30mm	£ 11.79	0.449
000-0151	0,600mH +/-3% 0,150Ω wire 1,80mm=13AWG OD-62 / 30mm	£ 12.24	0.480
000-0112	0,620mH +/-3% 0,150Ω wire 1,80mm=13AWG OD-62 / 30mm	£ 12.30	0.483
000-0142	0,650mH +/-3% 0,153Ω wire 1,80mm=13AWG OD-62 / 30mm	£ 12.74	0.503
000-0113	0,680mH +/-3% 0,155Ω wire 1,80mm=13AWG OD-62 / 30mm	£ 13.13	0.520
000-0848	0,760mH +/-3% 0,17Ω wire 1,80mm=13AWG OD-65 / 30mm	£ 13.74	0.547
000-0098	0,800mH +/-3% 0,170Ω wire 1,80mm=13AWG OD-65 / 30mm	£ 14.11	0.564
000-0114	0,820mH +/-3% 0,180Ω wire 1,80mm=13AWG OD-65 / 30mm	£ 14.27	0.571
000-0115	0,850mH +/-3% 0,180Ω wire 1,80mm=13AWG OD-65 / 30mm	£ 14.69	0.590
000-0116	0,900mH +/-3% 0,185Ω wire 1,80mm=13AWG OD-65 / 30mm	£ 15.66	0.620
000-0117	0,950mH +/-3% 0,190Ω wire 1,80mm=13AWG OD-69 / 30mm	£ 16.11	0.640
000-0118	1,000mH +/-3% 0,198Ω wire 1,80mm=13AWG OD-69 / 30mm	£ 16.51	0.658
000-0119	1,100mH +/-3% 0,208Ω wire 1,80mm=13AWG OD-69 / 30mm	£ 17.20	0.680
000-0120	1,200mH +/-3% 0,220Ω wire 1,80mm=13AWG OD-71 / 30mm	£ 18.09	0.720
000-0121	1,300mH +/-3% 0,230Ω wire 1,80mm=13AWG OD-71 / 30mm	£ 19.24	0.766
000-0122	1,400mH +/-3% 0,238Ω wire 1,80mm=13AWG OD-75 / 30mm	£ 19.85	0.793
000-0123	1,500mH +/-3% 0,245Ω wire 1,80mm=13AWG OD-75 / 30mm	£ 20.51	0.810
000-0124	1,600mH +/-3% 0,255Ω wire 1,80mm=13AWG OD-75 / 30mm	£ 22.39	0.840
000-0125	1,700mH +/-3% 0,265Ω wire 1,80mm=13AWG OD-79 / 30mm	£ 23.18	0.875
000-0126	1,800mH +/-3% 0,275Ω wire 1,80mm=13AWG OD-79 / 30mm	£ 23.73	0.900
000-0141	1,850mH +/-3% 0,280Ω wire 1,80mm=13AWG OD-79 / 30mm	£ 24.06	0.915
000-0127	1,900mH +/-3% 0,318Ω wire 1,80mm=13AWG OD-66 / 60mm	£ 27.74	1.039
000-0128	2,000mH +/-3% 0,328Ω wire 1,80mm=13AWG OD-66 / 60mm	£ 28.10	1.055
000-0129	2,100mH +/-3% 0,335Ω wire 1,80mm=13AWG OD-66 / 60mm	£ 29.10	1.100
000-0130	2,200mH +/-3% 0,345Ω wire 1,80mm=13AWG OD-66 / 60mm	£ 30.13	1.146
000-0131	2,300mH +/-3% 0,355Ω wire 1,80mm=13AWG OD-70 / 60mm	£ 30.44	1.160
000-0132	2,400mH +/-3% 0,360Ω wire 1,80mm=13AWG OD-70 / 60mm	£ 31.22	1.195
000-0133	2,500mH +/-3% 0,368Ω wire 1,80mm=13AWG OD-70 / 60mm	£ 31.34	1.200
000-0134	2,600mH +/-3% 0,374Ω wire 1,80mm=13AWG OD-70 / 60mm	£ 32.01	1.230
000-0135	2,700mH +/-3% 0,380Ω wire 1,80mm=13AWG OD-70 / 60mm	£ 32.61	1.257
000-0136	3,000mH +/-3% 0,400Ω wire 1,80mm=13AWG OD-74 / 60mm	£ 34.26	1.331

000-0137	3,300mH +/-3% 0,420Ω wire 1,80mm=13AWG OD-75 / 60mm	£ 35.47	1.385
000-0172	4,000mH +/-3% 0,58Ω wire 1,80mm=13AWG OD-71 / 60mm	£ 33.99	1.197
000-0059	4,400mH +/-3% 0,60Ω wire 1,80mm=13AWG OD-82 / 60mm	£ 40.53	1.490
000-0138	5,000mH +/-3% 0,534Ω wire 1,80mm=13AWG OD-82 / 60mm	£ 46.90	1.775
000-0144	10,000mH +/-3% 0,76Ω wire 1,80mm=13AWG OD-95 / 60mm	£ 69.10	2.630